

TennCare Preferred Drug List (PDL)

Effective June 1, 2017

PA – Prior Authorization required, subject to specific PA criteria; QL – Quantity Limit (PA and NP agents require a PA before dispensing);

B – Budgetary Reduction Edit for utilization control (The standard NP PA criteria does not apply); ID – Class Prior Authorization criteria for patients with Intellectual or Developmental Disability

Approval of NP agents requires trial and failure, contraindication or intolerance of 2 preferred agents, unless otherwise indicated.

Please note: With the exception of the “Branded Drugs Classified as Generics” list, TennCare is a mandatory generic program in accordance with state law (TCA 53-10-205). Approval of a branded product when a generic is available **requires** documentation of a serious adverse reaction from the generic via a FDA MedWatch form **OR** contraindication to an inactive ingredient in the AB-rated generic equivalent. Therapeutic Failure of an AB-rated generic equivalent may be considered for approval of branded products in the following high-risk medication classes: Anticonvulsants, Atypical Antipsychotics, HIV antivirals, Immunosuppressants, and Oncology Agents.

Preferred Drugs	Non-Preferred Drugs
I. Analgesics	
<u>Agents for Opiate Detoxification</u>	
naltrexone ^{PA}	ReVia ^{PA}
<u>Buprenorphine and Buprenorphine/Naloxone</u>	
Bunavail ^{PA, QL}	buprenorphine ^{PA, QL} Suboxone ^{PA, QL} film ^{PA, QL}
	buprenorphine/naloxone tablets ^{PA, QL} Zubsolv ^{PA, QL}
<u>COX-II Inhibitors^{PA}</u>	
N/A	Celebrex ^{PA, QL} celecoxib ^{PA, QL}
<u>Transmucosal Fentanyl Products</u>	
N/A	Abstral ^{PA, QL} Fentora ^{PA, QL}
	Actiq ^{PA, QL} Lazanda ^{PA, QL}
	fentanyl lozenge ^{PA, QL} Subsys ^{PA, QL}
<u>Naloxone Products</u>	
Narcan ^{PA} nasal spray ^{PA, QL}	n/a
<u>Narcotics Agonist/Antagonists</u>	
nalbuphine ^{PA, QL}	butorphanol NS ^{PA, QL} pentazocine/naloxone ^{PA, QL}
	pentazocine/APAP ^{PA, QL}
<u>Narcotics, Long Acting Narcotics</u>	
Embeda ^{PA ≥100mg, QL} Kadian ^{PA (≥100 mg), QL}	Arymo ER ^{PA, QL} morphine sulfate SA ^{PA, QL}
fentanyl patch (excluding 37.5mcg/hr, 62.5mcg/hr, and 87.5mcg/hr) ^{PA, QL}	Avinza ^{PA, QL} morphine sulfate SR 24hr (generic for Avinza ^{PA, QL})
	Belbuca ^{PA, QL} MS Contin ^{PA, QL}
	Butrans ^{PA, QL} Nucynta ^{PA, QL} ER ^{PA, QL}
	ConZip ^{PA, QL} Opana ER ^{PA, QL}
	Dolophine ^{PA, QL} OxyContin ^{PA, QL}
	Duragesic ^{PA, QL} oxymorphone ER ^{PA, QL}
	Exalgo ^{PA, QL} oxycodone ER ^{PA, QL}
	fentanyl patch (37.5mcg/hr, 62.5mcg/hr, and 87.5mcg/hr) ^{PA, QL} tramadol ER ^{PA, QL}
	hydromorphone ER ^{PA, QL} tramadol ER 24 hr ^{PA, QL}
	Hysingla ^{PA, QL} ER ^{PA, QL} tramadol ER ^{PA, QL} (generic for Conzip ^{PA, QL})
	methadone ^{PA, QL} Ultram ER ^{PA, QL}
	Methadose ^{PA, QL} Xtampza ER ^{PA, QL}
	morphine sulfate ER capsules (generic for Kadian ^{PA, QL}) ^{PA, QL} Zohydro ER ^{PA, QL}

* Note that agents not listed on PDL may be considered non-preferred

Preferred Drugs	Non-Preferred Drugs
I. Analgesics	

Short-Acting Narcotics ^{QL}

codeine/APAP ^{QL}	morphine IR ^{QL} (excluding suppositories)	butalbital/APAP/caff/codeine ^{PA, QL}	Opana [®] ^{PA, QL}
Endocet [®] ^{QL}	oxycodone tabs ^{QL}	butalbital/ASA/caff/codeine ^{PA, QL}	oxycodone caps ^{PA, QL}
hydrocodone/APAP ^{QL} (excluding generic for Xodol [®])	oxycodone/APAP ^{QL}	Capital with Codeine [®] ^{PA, QL}	oxycodone oral concentrate ^{PA}
hydrocodone/ibuprofen ^{QL}	tramadol ^{QL}	codeine ^{PA, QL}	oxycodone/ASA ^{PA, QL}
hydromorphone ^{QL} (excluding suppositories)		Demerol [®] ^{PA, QL}	oxycodone/IBU ^{PA, QL}
		dihydrocodeine/APAP/caffeine ^{PA, QL}	oxymorphone ^{PA, QL}
		dihydrocodeine/ASA/caffeine ^{PA, QL}	Percocet [®] ^{PA, QL}
		Dilaudid [®] ^{PA, QL}	Percodan [®] ^{PA, QL}
		Fioricet [®] with Codeine ^{PA, QL}	Primlev [®] ^{PA, QL}
		Fiorinal [®] with Codeine ^{PA, QL}	Reprexain [®] ^{PA, QL}
		Hycet [®] ^{PA, QL}	Roxicet [®] ^{PA, QL}
		hydrocodone/APAP 5/300 ^{PA, QL}	Roxicodone [®] ^{PA, QL}
		hydrocodone/APAP 10/300 ^{PA, QL}	Synalgos [®] -DC ^{PA, QL}
		hydromorphone suppositories ^{PA}	tramadol/APAP ^{PA, QL}
		Ibudone [®] ^{PA, QL}	Tylenol [®] with Codeine ^{PA, QL}
		levorphanol ^{PA, QL}	Ultracet [®] ^{PA, QL}
		Lorcet [®] ^{PA, QL}	Ultram [®] ^{PA, QL}
		Lortab [®] ^{PA, QL}	Vicodin [®] ^{PA, QL}
		Maxidone [®] ^{PA, QL}	Vicodin HP ^{PA, QL}
		meperidine ^{PA, QL}	Vicoprofen [®] ^{PA, QL}
		morphine sulfate soln 20 mg/ml ^{PA}	Xartemis [™] XR ^{PA, QL}
		morphine suppositories ^{PA, QL}	Xodol [®] ^{PA, QL}
		Norco [®] ^{PA, QL}	Zamicet [®] ^{PA, QL}
		Nucynta [®] ^{PA, QL}	

Note: Effective July 20, 2016: Quantity Limits: 7-day limit for all children with ACUTE pain, and for 1st fill for adults with ACUTE pain.

NSAID/Anti-Ulcer Agents

N/A	Arthrotec [®] ^{PA}	Duexis [®] ^{PA}
	diclofenac/misoprostol ^{PA}	Vimovo [®] ^{PA}

Salicylates and Non-Narcotic Combination Agents

Be-Flex Plus [®] ^{QL}	Rhinoflex [®] ^{QL}	Acuflex [®] ^{QL}	Flextra DS [®] ^{QL}
choline mag trisalicylate ^{QL}	salsalate ^{QL}	Alpain [®] ^{QL}	Flextra-650 [®] ^{QL}
Dologesic [®] ^{QL}	Tetra-Mag [®] ^{QL}	Anabar [®] ^{QL}	Lagesic [®] ^{QL}
Ed-Flex [®] ^{QL}		Cafgesic [®] ^{QL}	Levacet [®] ^{QL}
		Cafgesic Forte [®] ^{QL}	MST 600 [®] ^{QL}
		diflunisal ^{QL}	Rhinoflex 650 [®] ^{QL}
		Durabac [®] ^{QL}	Zgesic [®] ^{QL}
		Durabac Forte [®] ^{QL}	Zorprin [®] ^{QL}
		Flextra [®] ^{QL}	

* Note that agents not listed on PDL may be considered non-preferred

Preferred Drugs		Non-Preferred Drugs	
I. Analgesics			
<u>Non-Steroidal Anti-Inflammatory Drugs (NSAIDs)</u>			
diclofenac potassium	ketorolac ^{QL}	Anaprox [®]	Motrin [®]
diclofenac sodium	meloxicam tablets	Anaprox DS [®]	Nalfon [®]
diclofenac sodium ER	nabumetone	Cambia [®]	Naprelan [®]
ibuprofen	naproxen	Cataflam [®]	naproxen sodium ER
indomethacin	sulindac	Clinoril [®]	Naprosyn [®]
		Daypro [®]	Naproxen [®] CR
		diclofenac sodium 1.5% ^{PA}	Pennsaid ^{® PA}
		diclofenac gel (generic for Voltaren [®] gel) ^{PA}	piroxicam
		EC-Naprosyn [®]	Ponstel [®]
		etodolac	oxaprozin
		etodolac ER	Sprix ^{® PA, QL}
		Feldene [®]	Tivorbex ^{® PA}
		fenoprofen	tolmetin
		Flector ^{® PA, QL}	Toradol ^{® QL}
		flurbiprofen	Vivlodex ^{® PA, QL}
		indomethacin ER	Voltaren [®]
		ketoprofen	Voltaren [®] gel ^{PA}
		ketoprofen ER	Voltaren-XR [®]
		meclofenamate	VOPAC MDS Kit ^{PA}
		mefenamic acid	Zipsor [®]
		meloxicam suspension	Zorvolex ^{® PA}
		Mobic [®]	

Preferred Drugs		Non-Preferred Drugs	
II. ANTI-INFECTIVES			
<u>Antibiotics: Cephalosporins First Generation</u>			
cefadroxil capsules	cephalexin capsules	cefadroxil tablets	Daxbia [®]
cefadroxil suspension	cephalexin suspension	cephalexin tablets	Keflex [®]
<u>Antibiotics: Cephalosporins Second Generation</u>			
cefaclor capsules	cefuroxime tabs ^{PA}	cefaclor suspension	Ceftin [®] suspension ^{PA}
cefprozil		cefaclor ER	Ceftin [®] tabs
<u>Antibiotics: Cephalosporins Third Generation</u>			
cefdinir	Suprax [®]	Cedax [®]	cefpodoxime
		cefditoren	ceftibuten
		cefixime suspension	Spectracef [®]
<u>Antibiotics: Ketolides</u>			
N/A		Ketek ^{® PA}	
<u>Antibiotics: Macrolides</u>			
azithromycin QL	erythromycin/sulfisoxazole	Biaxin [®]	erythromycin base tablets
azithromycin suspension PA		Biaxin XL ^{® QL}	erythromycin brand products
clarithromycin		clarithromycin ER/XL ^{QL}	Zithromax ^{® QL}
erythromycin generic products (excluding erythromycin base tabs)		Dificid ^{® PA, QL}	Zmax ^{® QL}

* Note that agents not listed on PDL may be considered non-preferred

Preferred Drugs		Non-Preferred Drugs	
II. ANTI-INFECTIVES			
Antibiotics: Methenamine and Combo			
all generic combinations of methenamine, phenylsalicylate, hyoscyamine, atropine, etc.	methenamine mandelate methenamine hippurate	all brand combinations of methenamine, phenyl salicylate, hyoscyamine, atropine, etc.	Hiprex® Uroqid Acid #2®
Antibiotics: Miscellaneous Agents for UTI			
N/A		Monurol® QL, PA	
Antibiotics: Non-Absorbable Rifamycin			
N/A		Xifaxan® PA, QL	
Antibiotics: Oral Aminoglycosides			
neomycin	Neo-Fradin®	N/A	
Antibiotics: Oral Anti-Tuberculosis			
ethambutol	pyrazinamide	cycloserine	Rifadin®
isoniazid	rifabutin PA	Isonarif® PA	Rifamate® PA
Mycobutin® PA	rifampin	Myambutol®	Rifater® PA
		Paser®	Seromycin® Pulvules
		Priftin®	Trecator®
Antibiotics: Oral Glycopeptides			
N/A		vancomycin caps PA	
Antibiotics: Oral Lincosamines			
clindamycin caps		Cleocin®	
clindamycin pediatric solution PA		Cleocin® Pediatric granules PA	
Antibiotics: Oral Nitrofurans			
nitrofurantoin capsules	nitrofurantoin suspension PA	Furadantin® PA	Macrochantin®
		Macrobid®	
Antibiotics: Oxazolidinones			
N/A		linezolid suspension QL	Sivextro® PA, QL
		linezolid tabs PA, QL	Zyvox® PA, QL
Antibiotics: Penicillins			
amoxicillin	dicloxacillin	all brand penicillins	amoxicillin ER
amoxicillin/clavulanate	penicillin	amoxicillin/clavulanic acid XR	
Antibiotics: Quinolones			
ciprofloxacin	levofloxacin tabs	Avelox® PA	Levaquin® tabs
		Avelox ABC Pack® PA	Levaquin® solution PA
		Cipro® tablets	levofloxacin solution PA
		Cipro® suspension PA	moxifloxacin PA
		ciprofloxacin suspension PA	Noroxin® PA
		ciprofloxacin ER QL	ofloxacin
		Factive® PA	

* Note that agents not listed on PDL may be considered non-preferred

Preferred Drugs		Non-Preferred Drugs	
II. ANTI-INFECTIVES			
Antibiotics: Tetracyclines			
doxycycline monohydrate 50 and 100 mg caps		<i>Adoxa</i> [®]	<i>minocycline ER</i> ^{PA, QL}
doxycycline hyclate 50 and 100mg		<i>demeclocycline</i> ^{PA}	<i>minocycline capsules and tablets</i>
minocycline capsules		<i>doxycycline hyclate DR particles</i>	<i>Morgidox</i> [®]
tetracycline		<i>doxycycline hyclate 20mg</i> ^{PA, QL}	<i>Ocudox</i> [®] Kit
		<i>doxycycline monohydrate 75 mg and 150 mg caps</i>	<i>Oracea</i> [®]
		<i>doxycycline monohydrate powder for suspension (generic for Vibramycin[®])</i>	<i>Periostat</i> ^{® PA, QL}
		<i>doxycycline monohydrate tabs</i>	<i>Solodyn</i> ^{® PA, QL}
		<i>Doryx</i> [®]	<i>Vibramycin</i> [®]
		<i>Dynacin</i> [®]	
Antibiotics: Sulfonamides, Folate Antagonist			
sulfadiazine ^{PA}	trimethoprim (TMP) TMP/sulfamethoxazole	<i>Bactrim</i> [®]	<i>Primsol</i> [®]
Sulfatrim [®]		<i>Bactrim DS</i> [®]	<i>Sepra DS</i> [®]
Antifungals: Oral			
clotrimazole troches	griseofulvin suspension	<i>Ancobon</i> ^{® PA}	<i>ketoconazole</i> ^{PA}
fluconazole suspension ^{PA}	nystatin	<i>Cresemba</i> ^{® PA}	<i>Lamisil</i> ^{® PA, QL}
fluconazole tablets ^{QL}	terbinafine ^{PA, QL}	<i>Diflucan</i> ^{® suspension ^{PA}}	<i>Noxafil</i> ^{® PA}
griseofulvin ultramicrosize		<i>Diflucan</i> ^{® tablets ^{QL}}	<i>Onmel</i> ^{® PA, QL}
		<i>flucytosine</i> ^{PA}	<i>Oravig</i> ^{® PA}
		<i>Grifulvin V</i> [®]	<i>Sporanox</i> ^{® PA, QL}
		<i>griseofulvin microsize</i>	<i>Terbinex</i> ^{® PA, QL}
		<i>Gris-Peg</i> [®]	<i>Vfend</i> ^{® PA}
		<i>itraconazole</i> ^{PA, QL}	<i>voriconazole</i> ^{PA}
Antifungals: Vaginal			
miconazole-3 kit	terconazole	<i>AVC</i> ^{® cream}	<i>miconazole-3 vaginal supp</i>
nystatin		<i>Gynazole-1</i> [®]	<i>Terazol</i> [®]
Anti-Infectives: Amebicides			
paromomycin		N/A	
Anti-Infectives: Antimalarials			
atovaquone/proguanil	mefloquine	<i>Aralen</i> [®]	<i>Malarone</i> [®]
chloroquine	primaquine	<i>Coartem</i> [®]	<i>Qualaquin</i> [®]
dapsone	quinine sulfate	<i>Daraprim</i> [®]	
Anti-Infectives: Anthelmintics			
Albenza [®]	Stromectol [®]	<i>Emverm</i> ^{® PA}	
Biltricide [®]			
Anti-Infectives: Miscellaneous Antiprotozoal Agents			
metronidazole tabs		<i>Alinia</i> ^{® PA}	<i>Flagyl</i> ^{® ER}
		<i>atovaquone</i> ^{PA}	<i>Mepron</i> ^{® PA}
		<i>Flagyl</i> [®]	<i>metronidazole caps</i>

* Note that agents not listed on PDL may be considered non-preferred

Preferred Drugs		Non-Preferred Drugs	
II. ANTI-INFECTIVES			
Anti-Infectives: Oral Nitroimidazoles			
metronidazole tabs		<i>Flagyl</i> [®]	<i>Tindamax</i> [®]
		<i>Flagyl</i> [®] ER	<i>Tinidazole</i>
		<i>metronidazole caps</i>	
Anti-Infectives: Vaginal Antibiotics			
<i>Cleocin</i> [®] suppositories	metronidazole 0.75% gel	<i>Cleocin</i> [®] cream	<i>MetroGel</i> [®] Vaginal
clindamycin phos 2% cream	Vandazole [®]	<i>Clindesse</i> [®] vaginal cream	<i>Nuessa</i> [®]
Antivirals: Cytomegalovirus Agents			
Valcyte [®]		<i>valganciclovir</i>	
Antivirals: Hepatitis B			
<i>Baraclude</i> [®] solution	Epivir-HBV [®] QL	<i>adefovir</i> ^{PA}	<i>lamivudine-HBV</i> ^{QL}
entecavir		<i>Baraclude</i> [®] tablets	<i>Tyzeka</i> [®] PA
		<i>Hepsera</i> [®] PA	
Antivirals: Hepatitis C Pegylated Interferons			
<i>Pegasys</i> [®] ProClick PA>24 weeks, QL	<i>Pegasys</i> Conv. Pack [®] PA>24 weeks, QL	<i>PEG-Intron</i> [®] QL	<i>PEG-Intron Redipen</i> [®] QL
<i>Pegasys</i> [®] syringes PA>24 weeks, QL	<i>Pegasys</i> [®] vials PA>24 weeks, QL		
Antivirals: Hepatitis C Antivirals			
<i>Eplusa</i> [®] PA, QL (genotypes 2 & 3)	<i>Viekira</i> [®] PA, QL	<i>Daklinza</i> [®] PA, QL	<i>Olysio</i> [®] PA, QL
<i>Technivie</i> [®] PA, QL	<i>Viekira</i> [®] XR PA, QL	<i>Eplusa</i> [®] PA, QL (all other genotypes excluding 2 & 3)	<i>Sovaldi</i> [®] PA, QL
		<i>Harvoni</i> [®] PA, QL	<i>Zepatier</i> [®] PA, QL
Antivirals: Hepatitis C Ribavirins			
<i>Ribasphere</i> [®] 200 mg tablets	ribavirin tablets	<i>Copegus</i> [®]	<i>ribavirin capsules</i>
		<i>Moderiba</i> [®] dose pack	<i>Ribapak</i> [®]
		<i>Rebetol</i> [®] capsules	<i>Ribasphere</i> [®] 200mg capsules
		<i>Rebetol</i> [®] solution PA	<i>Ribasphere</i> [®] 400 and 600 mg tablets
Antivirals: Herpes			
acyclovir caps and tabs	Zovirax [®] suspension	<i>acyclovir suspension</i>	<i>Valtrex</i> [®] QL
famciclovir QL		<i>Famvir</i> [®] QL	<i>Zovirax</i> [®] caps and tabs
valacyclovir QL		<i>Sitavig</i> [®] buccal tabs QL	
Antivirals: HIV CCR5 Antagonists			
Selzentry [®] PA, QL		N/A	
Antivirals: Cytochrome P450 Inhibitors			
N/A		<i>Tybost</i> [®]	
Antivirals: HIV Fusion Inhibitors			
<i>Fuzeon</i> [®] PA, QL		N/A	
Antivirals: HIV Integrase Inhibitors			
<i>Genvoya</i> [®] QL	<i>Tivicay</i> [®] PA, QL	N/A	
<i>Isentress</i> [®] PA, QL	<i>Vitekta</i> [®] PA, QL		
Antivirals: HIV NNRTIs			
<i>Edurant</i> [®]	nevirapine QL	<i>nevirapine ER</i> ^{QL}	<i>Viramune</i> [®] QL
<i>Intence</i> [®] PA, QL	<i>Sustiva</i> [®] QL	<i>Rescriptor</i> [®] QL	<i>Viramune</i> [®] XR QL

* Note that agents not listed on PDL may be considered non-preferred

Preferred Drugs		Non-Preferred Drugs	
II. ANTI-INFECTIVES			
<u>Antivirals: HIV NRTIs</u>			
abacavir ^{QL}	stavudine ^{QL}	<i>Epivir[®] tablets^{QL}</i>	<i>Videx[®] capsules^{QL}</i>
didanosine capsules ^{QL}	Videx [®] solution ^{QL}	<i>lamivudine solution^{QL}</i>	<i>Zerit[®]^{QL}</i>
Emtriva [®] ^{QL}	Viread [®] ^{QL}	<i>Retrovir[®]^{QL}</i>	
Epivir [®] solution ^{QL}	Ziagen [®] ^{QL}		
lamivudine tablets ^{QL}	zidovudine ^{QL}		
Odefsey [®] ^{QL}			
<u>Antivirals: HIV NRTI Combos</u>			
abacavir/lamivudine ^{QL}	Epzicom [®] ^{QL}	N/A	
abacavir/lamivudine/ zidovudine ^{PA, QL}	lamivudine/zidovudine ^{QL}		
Atripla [®] ^{QL}	Stribild [®] ^{QL}		
Combivir [®] ^{QL}	Triumeq [®] ^{QL}		
Complera [®] ^{QL}	Trizivir [®] ^{PA, QL}		
Descovy [®] ^{QL}	Truvada [®] ^{QL}		
<u>Antivirals: HIV Protease Inhibitors</u>			
Aptivus [®] ^{PA, QL}	Norvir [®] ^{QL}	<i>Crixivan[®]^{QL}</i>	
Evotaz [®] ^{QL}	Prezcobix [®] ^{QL}		
Invirase [®] ^{QL}	Prezista [®] ^{QL}		
Kaletra [®] ^{QL}	Reyataz [®] caps and powder ^{QL}		
Lexiva [®] ^{QL}	Viracept [®] ^{QL}		
lopinavir/ritonavir ^{QL}			
<u>Antivirals: Influenza</u>			
Relenza [®] ^{QL}	Tamiflu [®] ^{QL}	<i>oseltamivir</i>	

Preferred Drugs		Non-Preferred Drugs	
III. CARDIOVASCULAR			
<u>Alpha/Beta Blockers</u>			
labetalol	carvedilol ^{QL}	<i>Coreg[®]^{QL}</i>	<i>Trandate[®]</i>
		<i>Coreg CR[®]^{QL}</i>	
<u>Alpha-Blockers</u>			
doxazosin	prazosin	<i>Cardura[®]</i>	<i>Minipress[®]</i>
terazosin			
<u>ACE Inhibitors</u>			
benazepril	lisinopril	<i>Accupril[®]</i>	<i>perindopril^{QL}</i>
captopril	ramipril ^{QL}	<i>Aceon[®]^{QL}</i>	<i>Prinivil[®]</i>
enalapril		<i>Altace[®]^{QL}</i>	<i>Quinapril</i>
		<i>Epaned[®]^{PA}</i>	<i>trandolapril^{QL}</i>
		<i>fosinopril</i>	<i>Univasc[®]^{QL}</i>
		<i>Lotensin[®]</i>	<i>Vasotec[®]</i>
		<i>Mavik[®]^{QL}</i>	<i>Zestril[®]</i>
		<i>moexipril^{QL}</i>	

* Note that agents not listed on PDL may be considered non-preferred

Preferred Drugs		Non-Preferred Drugs	
III. CARDIOVASCULAR			
<u>ACEI + Calcium Channel Blocker Combo</u>			
N/A		benazepril/amlodipine ^{PA, QL}	Tarka ^{® PA, QL}
		Lotrel ^{® PA, QL}	trandolapril/verapamil ^{PA, QL}
		Prestalia ^{® PA, QL}	
<u>ACEI + Diuretic Combination</u>			
captopril/HCTZ	lisinopril/HCTZ	Accuretic [®]	Prinzide [®]
enalapril/HCTZ		benazepril/HCTZ ^{PA}	quinapril/HCTZ
		fosinopril/ HCTZ	Uniretic [®]
		Lotensin HCT [®]	Vaseretic [®]
		moexipril/HCTZ	Zestoretic [®]
<u>Angiotensin II Receptor Blockers</u>			
losartan ^{QL}		Atacand ^{® QL}	eprosartan ^{QL}
		Avapro ^{® QL}	irbesartan ^{QL}
		Benicar ^{® QL}	Micardis ^{® QL}
		Cozaar ^{® QL}	olmesartan ^{QL}
		candesartan ^{® QL}	telmisartan ^{QL}
		Diovan ^{® QL}	Teveten ^{® QL}
		Edarbi ^{® QL}	valsartan ^{QL}
<u>Angiotensin II Receptor Blockers + Calcium Channel Blocker ^{PA, QL}</u>			
amlodipine /valsartan ^{PA, QL}		amlodipine/olmesartan ^{QL}	Exforge HCT ^{® PA, QL}
amlodipine/valsartan/HCTZ ^{PA, QL}		amlodipine/olmesartan/HCTZ ^{QL}	telmisartan/amlodipine ^{PA, QL}
		Azor ^{® PA, QL}	Tribenzor ^{® PA, QL}
		Exforge ^{® PA, QL}	Twynsta ^{® PA, QL}
<u>Angiotensin II Receptor Blockers + Diuretic</u>			
losartan/HCTZ ^{® QL}		Atacand HCT [®]	irbesartan/HCTZ
		Avalide [®]	Micardis HCT ^{® QL}
		Benicar HCT ^{® QL}	olmesartan/HCTZ ^{QL}
		candesartan/HCTZ ^{QL}	telmisartan/ HCTZ ^{QL}
		Diovan HCT ^{® QL}	Teveten HCT [®]
		Edarbyclor ^{® QL}	valsartan/ HCTZ ^{QL}
		Hyzaar [®]	
<u>Angiotensin II Receptor Blockers + Nephilysin Inhibitor ^{PA, QL}</u>			
		Entresto ^{® PA, QL}	
<u>Anti-Anginal Agents: Miscellaneous</u>			
N/A		Corlanor ^{® PA, QL}	Ranexa ^{® PA}
<u>Anti-Anginal Agents: Nitrates</u>			
Isochron [®]	nitroglycerin (excluding spray)	amyl nitrite	isosorbide dinitrate, sublingual
isosorbide dinitrate (excluding 10 mg tabs and SL tabs)	Nitrolingual [®]	Dilatrate-SR [®]	Monoket [®]
isosorbide mononitrate	Nitrostat [®]	GoNitro ^{® powder} ^{PA}	Nitro-Bid [®]
Minitran [®]		Imdur [®]	Nitro-Dur [®]
		Isordil [®]	nitroglycerin spray
		Isosorbide dinitrate 10 mg tabs	NitroMist [®]

* Note that agents not listed on PDL may be considered non-preferred

Preferred Drugs		Non-Preferred Drugs	
III. CARDIOVASCULAR			
<u>Anti-Arrhythmics, Oral</u>			
amiodarone	quinidine sulfate	<i>Betapace</i> [®]	<i>Pacerone</i> [®]
disopyramide	sotalol	<i>Betapace AF</i> [®]	<i>propafenone ER</i>
flecainide	sotalol AF	<i>Cordarone</i> [®]	<i>Rythmol</i> [®]
mexiletine	Tikosyn ^{® QL}	<i>dofetilide</i> ^{QL}	<i>Rythmol SR</i> [®]
propafenone		<i>Multaq</i> ^{® PA}	<i>Sorine</i> [®]
quinidine gluconate		<i>Norpace</i> [®]	<i>Tambocor</i> [®]
		<i>Norpace CR</i> [®]	
<u>Anti-Hypertensives, Miscellaneous</u>			
Catapres-TTS ^{® QL}	methyldopa/HCTZ	<i>Catapres</i> [®]	<i>Nexiclon</i> ^{® XR}
clonidine		<i>clonidine weekly TD patch</i> ^{QL}	<i>reserpine</i>
guanfacine		<i>Clorpres</i> [®]	<i>Tenex</i> [®]
hydralazine		<i>guanabenz</i>	<i>Vecamyl</i> ^{® PA, QL}
methyldopa		<i>minoxidil</i> ^{PA}	
<u>Beta Blockers and Combinations</u>			
atenolol	propranolol (excluding solution)	<i>acebutolol</i>	<i>metoprolol succinate</i> ^{PA, QL}
metoprolol tartrate (excluding 37.5 and 75 mg)	sotalol	<i>Betapace</i> [®]	<i>metoprolol tartrate 37.5 & 75 mg</i>
nadolol		<i>betaxolol</i>	<i>pindolol</i>
		<i>bisoprolol fumarate</i> ^{PA}	<i>propranolol solution</i> ^{PA}
		<i>Bystolic</i> [®]	<i>propranolol ER</i>
		<i>Byvalson</i> ^{® PA, QL}	<i>Qbrelis</i> ^{® solution} ^{PA}
		<i>Corgard</i> [®]	<i>Sectral</i> [®]
		<i>Hemangeol</i> ^{® PA}	<i>Sorine</i> [®]
		<i>Inderal LA</i> [®]	<i>Sotylize</i> ^{® PA}
		<i>Inderal XL</i> [®]	<i>Tenormin</i> [®]
		<i>InnoPran XL</i> ^{® QL}	<i>timolol maleate</i>
		<i>Levato</i> ^{® QL}	<i>Toprol XL</i> ^{® PA, QL}
		<i>Lopressor</i> [®]	<i>Zebeta</i> [®]
<u>Beta Blockers + Diuretic</u>			
atenolol/chlorthalidone	propranolol HCT	<i>Corzide</i> [®]	<i>nadolol/bendroflumethiazide</i>
bisoprolol HCT		<i>Dutoprol</i> ^{® PA, QL}	<i>Tenoretic</i> [®]
metoprolol HCT		<i>Lopressor HCT</i> [®]	<i>Ziac</i> [®]
<u>Calcium Channel Blockers (DHP)</u>			
amlodipine ^{QL}		<i>Adalat CC</i> ^{® QL}	<i>Norvasc</i> ^{® QL}
felodipine ER		<i>Cardene SR</i> ^{® QL}	<i>Nymalize</i> ^{® PA}
nicardipine		<i>isradipine</i> ^{QL}	<i>Procardia</i> [®]
nifedipine ER/SA/XL ^{QL}		<i>nifedipine IR</i>	<i>Procardia XL</i> ^{® QL}
		<i>nimodipine</i> ^{PA}	<i>Sular</i> ^{® QL}
		<i>nisoldipine</i> ^{QL}	

* Note that agents not listed on PDL may be considered non-preferred

Preferred Drugs		Non-Preferred Drugs	
III. CARDIOVASCULAR			
<u>Calcium Channel Blockers (Non-DHP)</u>			
diltiazem ER/SR/XR		Calan [®]	diltiazem ER (generic for Cardizem LA) ^{QL}
diltiazem IR		Calan SR [®]	Tiazac [®]
verapamil		Cardizem [®]	verapamil ER PM
verapamil ER ^{QL}		Cardizem CD [®]	Verelan [®]
		Cardizem LA ^{® QL}	Verelan PM [®]
		Dilacor XR [®]	
<u>Cardiac Glycosides</u>			
digoxin		Lanoxin [®]	
<u>Direct Renin Inhibitors^{PA}</u>			
N/A		Amturnide ^{® PA, QL}	Tekturna HCT ^{® PA, QL}
		Tekamlo ^{® PA, QL}	
		Tekturna ^{® PA, QL}	
<u>Diuretics: Carbonic Anhydrase</u>			
acetazolamide	methazolamide	Diamox ^{® Sequels}	Keveyis ^{® PA, QL}
<u>Diuretics: Combination Diuretics</u>			
amiloride/HCTZ	triamterene/HCTZ	Aldactazide [®]	Maxzide [®]
spironolactone/HCTZ		Dyazide [®]	
<u>Diuretics: Loop</u>			
bumetanide	furosemide	Demadex [®]	Lasix [®]
Edecrin [®]	toremide	ethacrynic acid	
<u>Diuretics: Potassium Sparing</u>			
amiloride	spironolactone	Aldactone [®]	Inspra ^{® PA}
		eplerenone ^{PA}	
<u>Diuretics: Thiazide and Related Diuretics</u>			
chlorothiazide	indapamide	Diuril [®]	Microzide [®]
chlorthalidone	metolazone	hydrochlorothiazide 12.5mg tab ^{PA}	Thalitone [®]
hydrochlorothiazide (excluding 12.5mg tab)		methyclothiazide	Zaroxolyn [®]
<u>Hemostatics, Oral</u>			
Amicar [®]	Lysteda ^{® PA, QL}	N/A	
aminocaproic acid	tranexamic acid ^{PA, QL}		
<u>Intermittent Claudication</u>			
cilostazol	pentoxifylline ^{PA}	Pletal [®]	Trental ^{® PA}
<u>Lipotropics: Bile Acid Sequestrants</u>			
cholestyramine	Prevalite [®]	Colestid [®]	Questran Light [®]
cholestyramine light	WelChol [®] tablets	Questran [®]	WelChol [®] packets ^{PA}
colestipol			
<u>Lipotropics: Cholesterol Absorption Inhibitors</u>			
N/A		ezetimibe ^{PA, QL}	Zetia ^{® PA, QL}

* Note that agents not listed on PDL may be considered non-preferred

Preferred Drugs		Non-Preferred Drugs	
III. CARDIOVASCULAR			
<u>Lipotropics: Fibric Acid Derivatives</u>			
fenofibrate (48 mg & 145 mg) ^{PA}	TriLipix ^{PA}	Antara ^{PA}	Lipofen ^{PA}
gemfibrozil		fenofibrate (all other strengths) ^{PA}	Lofibra ^{PA}
		fenofibric acid ^{PA}	Lopid [®]
		Fenoglide ^{PA}	TriCor ^{PA}
		Fibricor ^{PA}	Triglide ^{PA}
<u>Lipotropics: Miscellaneous</u>			
Kynamro ^{PA, QL}		Juxtapid ^{PA, QL}	
<u>Lipotropics: Niacin Derivatives^{PA}</u>			
niacin ER ^{PA}		Niacor ^{PA}	Niaspan ^{PA}
<u>Lipotropics: Omega-3 Fatty Acids^{PA}</u>			
N/A		Lovaza ^{PA}	Vascepa ^{PA}
		omega-3 acid ethyl esters ^{PA}	
<u>Lipotropics: PCSK-9 Inhibitors</u>			
		Praluent ^{PA, QL}	Repatha ^{PA, QL}
<u>Lipotropics: Standard Potency Statins^{QL}</u>			
lovastatin ^{QL}	simvastatin (5 mg, 10 mg, 20 mg, 40 mg) ^{QL}	Altoprev ^{QL}	Livalo ^{QL}
pravastatin ^{QL}		fluvastatin ^{QL}	Mevacor ^{QL}
		fluvastatin ER ^{QL}	Pravachol ^{QL}
		Lescol ^{QL}	Zocor [®] (5 mg, 10 mg, 20 mg, 40 mg) ^{QL}
		Lescol XL ^{QL}	
<u>Lipotropics: High Potency Statins^{QL}</u>			
atorvastatin ^{QL}	simvastatin 80 mg ^{PA, QL}	Crestor ^{QL}	Zocor [®] 80 mg ^{PA, QL}
rosuvastatin ^{QL}		Lipitor ^{QL}	
<u>Lipotropics: Combination Antihyperlipidemics^{QL}</u>			
N/A		Advicor ^{PA QL}	Simcor ^{QL}
		ezetimibe/simvastatin ^{PA, QL}	Vytorin ^{PA, QL}
		Liptruzet ^{PA}	
<u>Lipotropics: Statin + CCB Combination</u>			
N/A		amlodipine/atorvastatin ^{PA, QL}	Caduet ^{PA, QL}
<u>Injectable Anticoagulants</u>			
enoxaparin ^{QL}	Fragmin [®]	Arixtra ^{QL}	
fondaparinux ^{QL}	heparin	Lovenox ^{QL}	
<u>Oral Anticoagulants</u>			
Coumadin [®]	warfarin	Eliquis ^{PA, QL}	Savaysa ^{PA, QL}
Jantoven [®]	Xarelto ^{PA, QL}	Pradaxa ^{PA, QL}	
<u>Oral Thrombopoietin Agonists</u>			
N/A		Promacta ^{PA, QL}	
<u>Peripheral Vasodilators</u>			
ergoloid mesylates			
<u>Pheochromocytoma Agents</u>			
N/A		Demser ^{PA}	phenoxybenzamine ^{PA, QL}
		dibenzylamine ^{PA, QL}	

* Note that agents not listed on PDL may be considered non-preferred

Preferred Drugs		Non-Preferred Drugs	
III. CARDIOVASCULAR			
<u>Platelet Inhibitors</u>			
Aggrenox [®]	clopidogrel 75 mg	Agrylin [®]	Persantine [®]
anagrelide	dipyridamole	aspirin/dipyridamole	Plavix [®]
Brilinta [®] PA, QL	ticlopidine	clopidogrel 300 mg	Pletal [®]
cilostazol		Durlaza [®] PA, QL	Yosprala [®] PA, QL
		Effient [®] PA	Zontivity [®] PA, QL
<u>Pulmonary Arterial Hypertension Agents PA, QL</u>			
Adcirca [®] PA, QL	Tracleer [®] PA, QL	Adempas [®] PA, QL	Revatio [®] PA, QL
Letairis [®] PA, QL	Tyvaso [®] PA, QL	Opsumit [®] PA, QL	Revatio [®] suspension PA, QL
sildenafil PA, QL	Ventavis [®] PA, QL	Orenitram [®] ER PA, QL	Uptravi [®] PA, QL
<u>Pulmonary Fibrosis Agents</u>			
N/A		Esbriet [®] PA, QL	Ofev [®] PA, QL
<u>Vasopressors</u>			
midodrine		Northera [®] PA, QL	
<u>Vasopressor Receptor Antagonists</u>			
N/A		Samsca [®] PA	
<u>Vasodilator/Nitrate Combinations</u>			
N/A		BiDil [®] PA	
Preferred Drugs		Non-Preferred Drugs	
IV. CENTRAL NERVOUS SYSTEM			
<u>Agents for Neuropathic Pain</u>			
duloxetine PA, QL		duloxetine caps (generic for Irenka [®]) PA, QL	Irenka [®] PA, QL
gabapentin capsules QL		Cymbalta [®] PA, QL	lidocaine patch PA
		gabapentin solution PA, QL	Lidoderm [®] PA
		gabapentin tablets PA, QL	Lyrica [®] PA
		Gralise [®] PA, QL	Neurontin [®] QL
	Horizant [®] PA, QL	Neurontin [®] solution PA, QL	
<u>Alzheimer's: Cholinesterase Inhibitors</u>			
donepezil QL (excluding 23 mg)	Exelon [®] patch QL	Aricept [®] ODT PA, QL	galantamine ER QL
donepezil ODT PA, QL	galantamine tablets	Aricept [®] QL	Razadyne [®]
		Aricept [®] 23 mg tablet PA, QL	Razadyne ER [®] QL
		donepezil 23 mg PA, QL	rivastigmine
		Exelon [®]	rivastigmine patch QL
		galantamine solution	
<u>Alzheimer's: NMDA Receptor Antagonists</u>			
memantine tablets PA, QL		memantine solution PA, QL	Namenda XR [®] PA, QL
		Namenda [®] PA, QL	Namzaric [®] PA, QL
<u>Antiparkinson's Agents: Anticholinergics</u>			
benztropine	trihexphenidyl	N/A	
<u>Antiparkinson's Agents: Decarboxylase Inhibitors</u>			
carbidopa		Lodosyn [®]	

* Note that agents not listed on PDL may be considered non-preferred

Preferred Drugs		Non-Preferred Drugs	
IV. CENTRAL NERVOUS SYSTEM			
Antiparkinson's Agents: Dopamine Precursors/Decarboxylase Inhibitors			
carbidopa/levodopa	carbidopa/levodopa ER/SR	Parcopa [®] Rytary [®]	Sinemet [®] Sinemet [®] CR
Antiparkinson's Agents: COMT Inhibitors and Combos			
carbidopa/levodopa/entacapone	Stalevo [®]	Comtan [®]	tolcapone
entacapone		Tasmar [®]	
Antidepressants: SSRIs ^{ID}			
citalopram ^{QL}	fluoxetine solution	Brisdelle [®] ^{PA}	paroxetine CR ^{QL}
escitalopram tabs ^{QL}	fluvoxamine ^{QL}	Celexa [®] ^{QL}	Paxil [®] ^{QL}
escitalopram solution	paroxetine ^{QL}	fluoxetine tablets ^{QL}	Paxil CR [®] ^{QL}
fluoxetine capsules ^{QL}	sertraline ^{QL}	fluoxetine (PMDD) ^{QL}	Pexeva [®] ^{QL}
		fluoxetine weekly ^{PA, QL}	Prozac [®] ^{QL}
		fluvoxamine ER ^{QL}	Prozac Weekly [®] ^{PA, QL}
		Lexapro [®] solution	Sarafem [®] ^{QL}
		Lexapro [®] tablets ^{QL}	Viibryd [®] ^{QL}
		Luvox CR [®] ^{QL}	Zoloft [®] ^{QL}
Antidepressants: SSRI/SRMs ^{ID}			
N/A		Trintellix [®] ^{PA, QL}	
Antidepressants: SNRIs ^{ID}			
duloxetine ^{PA, QL}		Cymbalta [®] ^{PA, QL}	Irenka [®] ^{PA, QL}
venlafaxine ER caps ^{QL}		desvenlafaxine ^{PA, QL}	Khedezla [®] ^{PA, QL}
		desvenlafaxine ER ^{PA, QL}	Pristiq [®] ^{PA, QL}
		desvenlafaxine fumarate ER ^{PA, QL}	Savella [®] ^{PA, QL}
		duloxetine caps (generic for Irenka [®]) ^{PA, QL}	venlafaxine ^{PA, QL}
		Effexor XR [®] ^{PA, QL}	venlafaxine ER tabs ^{PA, QL}
		Fetzima [®] ^{PA, QL}	
Antidepressants: New Generation ^{ID}			
budeprion SR	mirtazapine	Aplenzin [®]	Remeron SolTab [®] ^{PA}
budeprion XL ^{QL}	mirtazapine rapdis ^{PA}	Forfivo XL [®]	trazodone 300 mg
bupropion IR/SR	trazodone (excluding 300 mg)	nefazodone	Wellbutrin [®]
bupropion XL ^{QL}		Oleptro [®] ^{QL}	Wellbutrin SR [®]
maprotiline		Remeron [®]	Wellbutrin XL [®] ^{QL}
Antidepressants: Tricyclics ^{ID}			
amitriptyline		amoxapine	protriptyline
desipramine		Anafranil [®] ^{PA}	Surmontil [®]
doxepin		clomipramine ^{PA}	Tofranil [®]
imipramine		imipramine pamoate	Tofranil-PM [®]
nortriptyline		Norpramin [®]	Vivactil [®]
		Pamelor [®]	
Antidepressants: MAOIs ^{PA, QL, ID}			
phenelzine ^{PA, QL}		Emsam [®] ^{PA, QL}	Parnate [®] ^{PA, QL}
		Marplan [®] ^{PA, QL}	tranylcypromine ^{PA, QL}
		Nardil [®] ^{PA, QL}	

* Note that agents not listed on PDL may be considered non-preferred

Preferred Drugs		Non-Preferred Drugs	
IV. CENTRAL NERVOUS SYSTEM			
<u>Antipsychotics: Typical ^{ID}</u>			
chlorpromazine	pimozide	<i>molindone</i>	
fluphenazine	thioridazine	<i>Orap[®]</i>	
haloperidol	thiothixene		
loxapine	trifluoperazine		
perphenazine			
<u>Antipsychotics: Atypical ^{PA, ID}</u>			
aripiprazole ODT, solution, & tablets ^{PA, QL}	risperidone ODT ^{PA, QL}	<i>Abilify[®] solution & tablets ^{PA, QL}</i>	<i>paliperidone ^{PA, QL}</i>
clozapine ^{PA, QL}	Saphris [®] ^{PA, QL}	<i>Abilify Maintena[®] ^{PA, QL}</i>	<i>quetiapine ER ^{PA, QL}</i>
Latuda [®] ^{PA, QL}	Seroquel [®] XR ^{PA, QL}	<i>Aristada[®] ^{PA, QL}</i>	<i>Rexulti[®] ^{PA, QL}</i>
olanzapine ^{PA, QL}	ziprasidone ^{PA, QL}	<i>Clozaril[®] ^{PA, QL}</i>	<i>Risperdal[®] ^{PA, QL}</i>
olanzapine ODT ^{PA, QL}		<i>clozapine ODT ^{PA, QL}</i>	<i>Risperdal Consta[®] ^{PA, QL}</i>
quetiapine ^{PA, QL}		<i>Fanapt[®] ^{PA, QL}</i>	<i>Risperdal M-tab[®] ^{PA, QL}</i>
risperidone ^{PA, QL}		<i>FazaClo ODT[®] ^{PA, QL}</i>	<i>Zyprexa[®] ^{PA, QL}</i>
		<i>Geodon[®] ^{PA, QL}</i>	<i>Seroquel[®] ^{PA, QL}</i>
		<i>Invega[®] ^{PA, QL}</i>	<i>Versacloz[®] suspension ^{PA}</i>
		<i>Invega[®] Sustenna[®] ^{PA, QL}</i>	<i>Vraylar[®] ^{PA, QL}</i>
		<i>Invega[®] Trinza[®] ^{PA, QL}</i>	<i>Zyprexa Zydys[®] ^{PA, QL}</i>
		<i>Nuplazid[®] ^{PA, QL}</i>	
<u>Atypical Antipsychotic and SSRI Combinations ^{PA, ID}</u>			
N/A		<i>fluoxetine/olanzapine ^{PA, QL}</i>	<i>Symbyax[®] ^{PA, QL}</i>
<u>Anti-Migraine: Combination Agents</u>			
<i>butalbital/APAP ^{QL}</i>	<i>Cafergot[®]</i>	<i>butalbital/ASA/caff ^{QL}</i>	<i>Fiorinal[®] with codeine ^{QL}</i>
<i>butalbital/APAP/caff ^{QL}</i>		<i>butalbital/APAP/caff/codeine ^{QL}</i>	<i>isomethept/caffeine/APAP ^{QL}</i>
		<i>butalbital/ASA/caff/codeine ^{QL}</i>	<i>isometheptene/dichloralphenazone /APAP</i>
		<i>Fioricet[®] with codeine ^{QL}</i>	<i>Migergot[®]</i>
<u>Anti-Migraine: 5-HT₁ Receptor Agonists ^{QL}</u>			
<i>Relpax[®] ^{QL}</i>	sumatriptan nasal ^{QL}	<i>Alsuma[®] ^{QL}</i>	<i>Migranow Kit[®] ^{PA, QL}</i>
<i>rizatriptan ^{QL}</i>	sumatriptan tabs ^{QL}	<i>almotriptan ^{PA, QL}</i>	<i>naratriptan ^{QL}</i>
<i>rizatriptan ODT ^{QL}</i>	sumatriptan vials ^{QL}	<i>Amerge[®] ^{QL}</i>	<i>Onzetra Xsail[®] ^{PA, QL}</i>
		<i>Axert[®] ^{QL}</i>	<i>sumatriptan kits ^{PA, QL}</i>
		<i>Frova[®] ^{QL}</i>	<i>Sumavel[®] DosePro[®] ^{PA, QL}</i>
		<i>frovatriptan ^{QL}</i>	<i>Treximet[®] ^{QL}</i>
		<i>Imitrex[®] Injectable ^{QL}</i>	<i>Zecuity[®] ^{PA, QL}</i>
		<i>Imitrex[®] Kit ^{PA, QL}</i>	<i>Zembrace[®] Symtouch[®] ^{PA, QL}</i>
		<i>Imitrex Nasal[®] ^{QL}</i>	<i>Zomig[®] ^{QL}</i>
		<i>Imitrex[®] tablets ^{QL}</i>	<i>Zomig[®] spray ^{QL}</i>
		<i>Maxalt[®] ^{QL}</i>	<i>Zomig ZMT[®] ^{QL}</i>
		<i>Maxalt MLT[®] ^{QL}</i>	<i>zolmitriptan ^{QL}</i>
<u>Anti-Migraine: Ergotamine Derivatives</u>			
N/A		<i>Migranal[®] ^{PA, QL}</i>	

* Note that agents not listed on PDL may be considered non-preferred

Preferred Drugs		Non-Preferred Drugs	
IV. CENTRAL NERVOUS SYSTEM			
Antihyperkinesia: Stimulants ^{PA ≥ 21 years old}			
Adderall XR [®] PA ≥ 21, QL	methylphenidate [®] PA ≥ 21	Adderall [®] PA ≥ 21, QL	Evekeo [®] PA ≥ 21, QL
amphetamine salt IR combo [®] PA ≥ 21, QL	methylphenidate ER (excluding generic for Ritalin LA [®]) [®] PA ≥ 21, QL	Adzenys [®] XR ODT [®] PA ≥ 21, QL	Metadate CD [®] PA ≥ 21, QL
dextroamphetamine [®] PA ≥ 21, QL	methylphenidate SA OSM [®] PA ≥ 21, QL	amphetamine salt ER comb [®] PA ≥ 21, QL	methamphetamine [®] PA ≥ 21, QL
Focalin [®] PA ≥ 21	ProCentra [®] PA ≥ 21, QL	Aptensio [®] XR [®] PA ≥ 21, QL	Methylin [®] soln and chewable [®] PA ≥ 21
Focalin XR [®] PA ≥ 21, QL	Quillichew ER [®] PA ≥ 21, QL	Concerta [®] PA ≥ 21, QL	methylphenidate CR [®] PA ≥ 21, QL
Metadate ER [®] PA ≥ 21, QL	Quillivant XR [®] PA ≥ 21, QL	Daytrana [®] PA ≥ 21, QL	methylphenidate ER (generic for Ritalin LA [®]) [®] PA ≥ 21, QL
Methylin ER [®] PA ≥ 21, QL	Vyvanse [®] capsules [®] PA ≥ 21, QL	Desoxyn [®] PA ≥ 21, QL	methylphenidate soln & chewables (generic for Methylin [®]) [®] PA ≥ 21
Methylin [®] tabs [®] PA ≥ 21		Dexedrine Spansule [®] PA ≥ 21, QL	methylphenidate SR 24 hr [®] PA ≥ 21, QL
		dexmethylphenidate [®] PA ≥ 21	Ritalin [®] PA ≥ 21
		dexmethylphenidate XR [®] PA ≥ 21, QL	Ritalin LA [®] PA ≥ 21, QL
		dextroamphetamine soln [®] PA ≥ 21, QL	Vyvanse [®] chewables [®] PA ≥ 21, QL
		Dyanavel [®] XR [®] PA ≥ 21, QL	Zenzedi [®] PA ≥ 21, QL
Max cumulative amphetamine dose: Patients ≥ 21: 60 mg/day; Patients ≤ 20: 80 mg/day			
Antihyperkinesia: Non-Stimulants			
clonidine	guanfacine ER [®] QL	clonidine ER [®] PA, QL, B	Kapvay [®] PA, QL, B
guanfacine	Strattera [®] QL	Intuniv [®] PA, QL	
Agents for Narcolepsy			
modafinil [®] PA, QL		armodafinil [®] PA, QL	Provigil [®] PA, QL
		Nuvigil [®] PA, QL	Xyrem [®] PA, QL

* Note that agents not listed on PDL may be considered non-preferred

Preferred Drugs		Non-Preferred Drugs	
IV. CENTRAL NERVOUS SYSTEM			
Anticonvulsants			
Aptiom [®] PA	levetiracetam	Banzel [®] PA	Lamictal [®] XR
carbamazepine (generic for Carbatrol [®])	levetiracetam ER	Briviact [®] tablets and solution PA	lamotrigine ER
carbamazepine ER	oxcarbazepine	carbamazepine tabs and suspension (generic for Tegretol [®])	lamotrigine ODT PA
Diastat [®] PA, QL	phenobarbital PA	Carbatrol [®]	Lyrica [®] PA
Dilantin Kapseal [®] 30 mg	phenobarbital elixir PA (< 1 year, PA not required)	Celontin [®]	Mysoline [®]
Dilantin [®] Infatabs [®]	Phenytek [®]	clonazepam tabs and ODT PA, QL	Neurontin [®] QL
divalproex	phenytoin	Depakene [®]	Neurontin [®] solution PA, QL
divalproex extended release	primidone	Depakote [®]	Onfi [®] PA
divalproex DR sprinkles	topiramate	Depakote [®] ER	Oxtellar XR [®]
Equetro [®]	Tegretol [®] (excluding chewables)	Depakote [®] Sprinkles	Peganone [®]
ethosuximide	valproic acid	diazepam rectal gel PA, QL	Potiga [®] PA
gabapentin capsules QL	Vimpat [®] PA	Dilantin-125 [®]	Qudexy [®] XR PA, QL
lamotrigine tablets and chewable tablets	zonisamide	Dilantin Kapseal [®] 100 mg	Sabril [®] PA
		Epitol [®]	Spritam [®] PA, QL
		felbamate PA	Stavzor [®]
		Felbatol [®] PA	Tegretol [®] chewables
		Fycompa [®] PA, QL	Tegretol-XR [®]
		gabapentin tablets and solution PA, QL	tiagabine
		Gabitril [®]	Topamax [®]
		Keppra [®]	topiramate ER PA, QL
		Keppra [®] XR	Trileptal [®]
		Klonopin [®] PA, QL	Trokendi XR [®] PA, QL
		Lamictal [®] tabs and chewable tabs	Zarontin [®]
		Lamictal [®] ODT PA	Zonegran [®]
Agents for RLS (Restless Leg Syndrome)			
pramipexole QL	ropinirole	Horizant [®] PA, QL	Neupro [®] PA
		Mirapex [®] QL	Requip [®]
Amyotrophic Lateral Sclerosis (ALS)			
Rilutek [®]		riluzole	
Anti-Anxiety Agents ID			
alprazolam PA, QL	diazepam PA, QL	alprazolam ER PA, QL	oxazepam PA, QL
buspirone (excluding 30 mg)	lorazepam PA, QL	alprazolam ODT PA, QL	Niravam [®] PA, QL
chlordiazepoxide PA, QL		Ativan [®] PA, QL	Tranxene-T [®] PA, QL
clorazepate PA, QL		Buspar [®]	Valium [®] PA, QL
		buspirone 30 mg	Xanax [®] PA, QL
		meprobamate	Xanax [®] XR PA, QL
Cholinergic Muscle Stimulants			
Mestinon [®] syrup	pyridostigmine 60 mg tab	Mytelase [®]	Prostigmin [®]
Mestinon [®] 180mg ER tab		Mestinon [®] 60 mg tab	

* Note that agents not listed on PDL may be considered non-preferred

Preferred Drugs		Non-Preferred Drugs	
IV. CENTRAL NERVOUS SYSTEM			
<u>Non-Ergot Dopamine Receptor Agonists</u>			
pramipexole ^{QL}	ropinirole	<i>bromocriptine</i>	<i>Parlodel[®]</i>
		<i>Cycloset[®]</i>	<i>Requip[®]</i>
		<i>Mirapex^{® QL}</i>	<i>Requip^{® XL}</i>
		<i>Mirapex^{® ER QL}</i>	<i>pramipexole ER^{QL}</i>
		<i>Neupro^{® PA}</i>	<i>ropinirole ER</i>
<u>MAOI-Bs</u>			
selegiline	N/A	<i>Azilect[®]</i>	<i>rasagiline</i>
		<i>Eldepryl[®]</i>	<i>Zelapar^{® PA}</i>
<u>Miscellaneous CNS Agents</u>			
N/A		<i>Nuedexta^{® PA, QL}</i>	
<u>Mood Stabilizers</u>			
lamotrigine tabs	lithium carbonate SA	<i>carbamazepine tabs and suspension</i>	<i>Lamictal^{® XR}</i>
lamotrigine chewable tabs	lithium citrate	<i>Depakote[®]</i>	<i>lamotrigine ER</i>
levetiracetam	oxcarbazepine	<i>Depakene[®]</i>	<i>Stavzor[®]</i>
lithium carbonate	valproic acid	<i>Keppra[®]</i>	<i>Tegretol[®]</i>
		<i>Lamictal^{® tabs}</i>	<i>Trileptal[®]</i>
		<i>Lamictal^{® chewable tabs}</i>	<i>Lithobid[®]</i>
		<i>Lamictal^{® ODT^{PA}}</i>	
<u>Sedative Hypnotic Agents^{QL, ID}</u>			
zaleplon ^{QL}		<i>Ambien^{® QL}</i>	<i>Lunesta^{® QL}</i>
zolpidem ^{QL}		<i>Ambien CR^{® QL}</i>	<i>Restoril^{® PA, QL}</i>
		<i>Belsomra^{® QL}</i>	<i>Rozerem^{® QL}</i>
		<i>eszopiclone^{QL}</i>	<i>Silenor^{® PA, QL}</i>
		<i>Edluar^{® PA, QL}</i>	<i>Sonata^{® QL}</i>
		<i>estazolam^{PA, QL}</i>	<i>temazepam^{PA, QL}</i>
		<i>flurazepam^{PA, QL}</i>	<i>triazolam^{PA, QL}</i>
		<i>Halcion^{® PA, QL}</i>	<i>zolpidem ER^{QL}</i>
		<i>Hetlioz^{® PA, QL}</i>	<i>zolpidem tartrate SL^{QL}</i>
		<i>Intermezzo^{® QL}</i>	<i>Zolpimist^{® PA, QL}</i>
<u>Skeletal Muscle Relaxants</u>			
baclofen	methocarbamol	<i>Amrix^{® QL}</i>	<i>orphenadrine</i>
chlorzoxazone	orphenadrine/ASA/caffeine	<i>carisoprodol^{PA, QL}</i>	<i>Parafon Forte[®]</i>
cyclobenzaprine	tizanidine tablets	<i>carisoprodol/ASA^{PA, QL}</i>	<i>Robaxin[®]</i>
dantrolene		<i>carisoprodol/ASA/codeine^{PA}</i>	<i>Skelaxin[®]</i>
		<i>cyclobenzaprine 7.5mg</i>	<i>Soma^{® PA, QL}</i>
		<i>Flexeril[®]</i>	<i>tizanidine capsules</i>
		<i>Lorzone[®]</i>	<i>Zanaflex[®]</i>
		<i>metaxalone</i>	

* Note that agents not listed on PDL may be considered non-preferred

Preferred Drugs		Non-Preferred Drugs	
V. DERMATOLOGICS			
<u>Topical Antipruritics/Antihistamines</u>			
N/A		<i>doxepin cream</i> ^{PA, QL} <i>Prudoxin</i> ^{PA, QL}	<i>Zonalon</i> ^{PA, QL}
<u>Topical Antivirals</u>			
acyclovir 5% ointment ^{QL}		<i>Xerese</i> ^{PA}	<i>Zovirax</i> ^{ointment} ^{QL}
Denavir ^{cream} ^{QL}		<i>Zovirax</i> ^{cream} ^{QL}	
<u>Topical Agents for Burns</u>			
silver sulfadiazine	SSD ^o	<i>mefanide</i>	<i>Sulfamylon</i> ^o
Thermazene ^o		<i>Silvadene</i> ^o	
<u>Antiseborrheic Agents</u>			
Mexar ^o wash		<i>Ovace</i> ^o	<i>selenium sulfide/pyrithione zinc in urea</i>
selenium sulfide 2.5% lotion		<i>Ovace</i> ^o Plus	<i>sodium sulfacetamide 10% shampoo</i>
sulfacetamide sodium 10% wash		<i>Rosula</i> ^o NS Pads	<i>sulfacetamide sodium/urea pads</i>
		<i>Seb-Prev</i> ^o	<i>TL Triseb</i> ^o
		<i>selenium sulfide shampoo</i>	
<u>Topical Antibiotic Agents for Skin and Soft Tissue Infections</u>			
gentamicin	mupirocin ointment	<i>Altabax</i> ^o	<i>Centany</i> ^o
		<i>Bactroban</i> ^o cream	<i>mupirocin cream</i>
		<i>Bactroban</i> ^o ointment	
<u>Topical Antibiotic Agents for Acne (Covered for recipients < 21 years old only)</u>			
Azelex ^o 20% cream	clindamycin phosphate (excluding foam and lotion)	<i>Aczone</i> ^o	
benzoyl peroxide (2.5%, 5%, 10% excluding cleanser, gel, microspheres, and towelettes)	erythromycin (excluding swab)	<i>benzoyl peroxide (cleanser, gel, microspheres, towelettes, and all strengths not listed as preferred)</i>	
sodium sulfacetamide (excluding suspension)		<i>benzoyl peroxide kits and other dermatological kits</i> ^{PA}	
		<i>clindamycin phosphate foam and lotion</i>	<i>clindamycin/benzoyl peroxide gel</i>
		<i>erythromycin swab</i>	<i>erythromycin/benzoyl peroxide</i>
		<i>sulfacetamide suspension</i>	<i>sodium sulfacetamide/sulfur</i>
		<i>All branded single agent and combination products of: benzoyl peroxide, clindamycin, erythromycin, and sodium sulfacetamide</i>	
<u>Topical Agents for Rosacea (Covered for recipients < 21 years old only)</u>			
Finacea ^o 15% gel	metronidazole gel 1% ^{QL}	<i>Finacea</i> ^o 15% foam	<i>MetroLotion</i> ^o ^{QL}
metronidazole 0.75% cream ^{QL}		<i>Finacea</i> ^o Plus gel ^{PA}	<i>Mirvaso</i> ^o
metronidazole 0.75% gel ^{QL}		<i>MetroCream</i> ^o ^{QL}	<i>Noritate</i> ^o 1% cream
metronidazole 0.75% lotion ^{QL}		<i>MetroGel</i> ^o 1% ^{QL}	<i>Rosadan</i> ^o Kit
		<i>MetroGel</i> ^o 1% Kit	<i>Soolantra</i> ^o ^{QL}

* Note that agents not listed on PDL may be considered non-preferred

Preferred Drugs		Non-Preferred Drugs	
V. DERMATOLOGICS			
Topical Antifungal Agents			
ciclopirox	econazole	Bensal HP [®]	Luzu ^{® PA}
ciclopirox solution 8% ^{PA}	ketoconazole (shampoo and cream)	Ciclodan ^{® Kit PA}	Loprox [®]
clotrimazole	nystatin	ciclopirox nail kit ^{PA}	Lotrisone [®]
		clotrimazole/betamethasone	Mentax [®]
		CNL 8 Nail Kit ^{® PA}	Naftin [®]
		Ertaczo [®]	Nizoral [®]
		Exelderm [®]	Nystatin/triamcinolone
		Extina [®]	oxiconazole
		Jublia ^{® PA}	Oxistat [®]
		Ketocon Kit ^{PA}	Pediaderm ^{® AF}
		ketoconazole foam	Pedipirox-4 ^{® Nail PA}
		Ketodan ^{® Kit PA}	Penlac ^{® PA}
		Kerydin [®]	Vusion ^{® PA}
		Lamisil [®]	
Topical Antipsoriatics^{PA}			
calcipotriene cream ^{PA}	Vectical ^{® PA}	calcipotriene ointment ^{PA}	Dovonex ^{® Scalp Solution PA}
calcipotriene scalp solution ^{PA}		calcitriol ointment ^{PA}	Enstilar ^{® PA}
Tazorac ^{® PA}		calcipotriene/betamethasone ^{PA}	Sorilux ^{® PA}
		Dovonex ^{® PA}	Taclonex ^{® PA}
			tazarotene cream ^{PA}
Antipsoriatics, Oral PA			
N/A		methoxsalen capsules ^{PA}	Oxsoralen-Ultra ^{® PA}
Genital Wart Agents			
imiquimod	podofilox	Aldara [®]	Veregen [®]
		Condylox [®]	
Emollients			
ammonium lactate	lactic acid	Lac-Hydrin [®]	
LacLotion [®]	lactic acid with vitamin E		
Retinoids, Oral			
N/A		acitretin ^{PA, QL}	Myorisan ^{® PA}
		Absorica ^{® PA}	Sotret ^{® PA}
		Amnesteem ^{® PA}	Soriatane ^{® QL}
		Claravis ^{® PA}	Zenatane ^{® PA}
Retinoids, Topical^{PA}			
Differin ^{® PA}		adapalene ^{PA}	Retin-A Micro ^{® PA}
Tazorac ^{® PA}		Atralin ^{® PA}	tazarotene cream ^{PA}
tretinoin ^{PA}		clindamycin/tretinoin ^{PA}	tretinoin gel ^{PA}
		Epiduo ^{® PA}	tretinoin microsphere gel ^{PA}
		Epiduo ^{® Forte PA}	Veltin ^{® PA}
		Fabior ^{® PA}	Ziana ^{® PA}
		Retin-A ^{® PA}	

* Note that agents not listed on PDL may be considered non-preferred

Preferred Drugs		Non-Preferred Drugs	
V. DERMATOLOGICS			
<u>Pediculocides/Scabicides^{QL}</u>			
Natroba ^{® QL}	Sklice ^{® QL}	Elimite ^{® QL}	Ovide ^{® QL}
permethrin ^{QL}		Eurax ^{® QL}	spinosad ^{QL}
		lindane ^{PA, QL}	Ulesfia ^{® QL}
		malathion ^{QL}	
<u>Keratolytic Agents</u>			
all generic urea products ^{PA}	all generic salicylic acid products	All brand urea products	All brand salicylic acid products
<u>Enzyme Preps and Wound Healing</u>			
Regranex ^{® PA}	Santyl [®]	N/A	
<u>Topical Anesthetics</u>			
lidocaine ^{QL}	lidocaine viscous	All brand lidocaine products	lidocaine/hydrocortisone/aloe
lidocaine/hydrocortisone	lidocaine/prilocaine ^{QL}	EMLA ^{® QL}	Lidoderm ^{® PA}
		hydrocortisone/pramoxine	Novacort ^{® gel}
		lidocaine patch ^{PA}	Pliaglis [®]
		lidocaine/tetracaine	Pramson ^{® 2.5%–1% lotion}
<u>Topical Antineoplastics</u>			
Carac [®]	Panretin [®]	Efudex [®]	Valchlor ^{® PA}
diclofenac 3% gel ^{PA}	Targretin [®]	fluorouracil 5% cream	Zyclara [®]
Fluoroplex [®]		Picato [®]	
fluorouracil		Solaraze ^{® PA}	
Topical Steroids: Least Potent			
hydrocortisone 1% cream and ointment		Alcortin ^{® A}	
hydrocortisone 2.5% cream, lotion and ointment		Aqua Glycolic HC ^{® Kit}	
Texacort ^{® 2.5% solution}		hydrocortisone acetate-aloe vera 2% gel	
		Micort ^{® HC 2.5% cream}	
		Pediaderm HC ^{® 2% Kit}	
		U-cort ^{® 1% cream}	
Topical Steroids: Mild			
aclomethasone 0.05% cream and ointment		Derma-Smoothe/FS ^{® Oil}	
betamethasone valerate 0.1% lotion		Desonate ^{® 0.05% gel}	
desonide 0.05% cream		desonide 0.05% ointment	
		fluocinolone acetonide 0.01% cream, oil and solution	
		Synalar ^{® 0.01% solution}	
		Verdeso ^{® 0.05% foam}	

* Note that agents not listed on PDL may be considered non-preferred

Preferred Drugs	Non-Preferred Drugs
V. DERMATOLOGICS	
Topical Steroids: Lower Mid-Strength	
betamethasone dipropionate 0.05% lotion	<i>Capex[®] shampoo</i>
betamethasone valerate 0.1% cream	<i>clocortolone 0.1% cream and pump</i>
fluticasone propionate 0.05% cream	<i>Cloderm[®] 0.1% cream</i>
hydrocortisone butyrate 0.1% solution	<i>Cutivate[®] 0.05% cream and lotion</i>
prednicarbate 0.1% ointment	<i>Derma-Top[®] 0.1% cream and ointment</i>
	<i>desonide 0.05% lotion</i>
	<i>Desowen[®] 0.05% lotion</i>
	<i>Diprolene[®] 0.05% lotion</i>
	<i>fluocinolone acetonide 0.01% shampoo</i>
	<i>fluocinolone acetonide 0.025% cream</i>
	<i>fluticasone propionate 0.05% lotion</i>
	<i>hydrocortisone butyrate 0.1% cream and ointment</i>
	<i>hydrocortisone valerate 0.2% cream</i>
	<i>Pandel[®] 0.1% cream</i>
	<i>prednicarbate 0.1% cream</i>
Topical Steroids: Mid-Strength	
hydrocortisone valerate 0.2% ointment	<i>Elocon[®] 0.1% cream and lotion</i>
mometasone furoate 0.1% cream and solution (lotion)	<i>fluocinolone acetonide 0.025% ointment</i>
triamcinolone acetonide 0.1% cream	<i>flurandrenolide 0.5% lotion</i>
	<i>flurandrenolide 0.5% ointment</i>
	<i>Kenalog[®] aerosol spray</i>
	<i>Pediaderm TA[®] Kit</i>
	<i>triamcinolone spray</i>
Topical Steroids: Upper Mid-Strength	
betamethasone valerate 0.1% ointment	<i>amcinonide 0.1% cream and lotion</i>
fluticasone propionate 0.005% ointment	<i>betamethasone dipropionate 0.05% cream</i>
triamcinolone acetonide 0.025% cream, lotion and ointment	<i>betamethasone valerate 0.12% foam</i>
triamcinolone acetonide 0.1% lotion and ointment	<i>desoximetasone 0.05% cream</i>
triamcinolone acetonide 0.5% cream and ointment	<i>Diprolene AF[®] 0.05% cream</i>
	<i>Ellzia Pak</i>
	<i>fluocinonide 0.05% emulsified base cream</i>
	<i>Luxiq[®] 0.12% foam</i>
	<i>Sernivo[®]</i>
	<i>Trianex[®] 0.05% ointment</i>

* Note that agents not listed on PDL may be considered non-preferred

Preferred Drugs	Non-Preferred Drugs
-----------------	---------------------

V. DERMATOLOGICS

Topical Steroids: Potent

betamethasone dipropionate, augmented 0.05% cream	<i>amcinonide 0.1% ointment</i>
fluocinonide 0.05% solution	<i>Apexicon E[®] 0.05% cream</i>
mometasone furoate 0.1% ointment	<i>betamethasone dipropionate, augmented 0.05% lotion</i>
	<i>betamethasone dipropionate 0.05% ointment</i>
	<i>desoximetasone 0.05% gel and ointment</i>
	<i>desoximetasone 0.25% cream and ointment</i>
	<i>diflorasone diacetate 0.05% cream and ointment</i>
	<i>Elocon[®] 0.1% ointment</i>
	<i>fluocinonide 0.05% cream, gel, and ointment</i>
	<i>Halog[®] 0.1% ointment and cream</i>
	<i>Topicort[®] 0.05% gel and ointment</i>
	<i>Topicort[®] 0.25% cream and ointment</i>

Topical Steroids: Super Potent

clobetasol propionate 0.05% cream, gel, ointment, and solution	<i>betamethasone dipropionate, augmented 0.05% gel, and ointment</i>
clobetasol propionate emollient base 0.05% cream	<i>clobetasol propionate 0.05% foam, lotion, shampoo, and spray</i>
halobetasol propionate 0.05% cream and ointment	<i>clobetasol propionate emollient base 0.05% foam</i>
	<i>Clobex[®] 0.05% lotion and shampoo</i>
	<i>Clobex[®] 0.05% spray</i>
	<i>Clodan[®]</i>
	<i>Clodan[®] Kit^{PA}</i>
	<i>Cordran[®] tape</i>
	<i>Diprolene[®] 0.05% ointment</i>
	<i>fluocinonide 0.1% cream</i>
	<i>Olux[®] 0.05% aerosol</i>
	<i>Olux-E[®] 0.05% aerosol</i>
	<i>Temovate[®] 0.05% cream and ointment</i>
	<i>Temovate E[®] 0.05% cream</i>
	<i>Ultravate[®] 0.05% cream, lotion, and ointment</i>
	<i>Vanos[®] 0.1% cream</i>

Preferred Drugs	Non-Preferred Drugs
-----------------	---------------------

VI. DIABETIC SUPPLIES

Diabetic Supplies: Blood Glucose Meters^{QL}

Abbott Diabetes Care Products ^{QL} (Covered Meters Include: Freestyle InsuLinx Meter, FreeStyle Lite Meter, FreeStyle Freedom Lite Meter, Precision Xtra Meter)	<i>AgaMatrix Products^{PA, QL}</i>	<i>LifeScan Products^{PA, QL}</i>
	<i>Bayer Healthcare Products^{PA, QL}</i>	<i>Roche Diagnostics Products^{PA, QL}</i>
	<i>Home Diagnostics Products^{PA, QL}</i>	

Diabetic Supplies: Blood Glucose Test Strips

Abbott Test Strips ^{QL} (Covered Strips Include: Precision Xtra Test Strips, FreeStyle Test Strips, FreeStyle Lite Test Strips, Freestyle InsuLinx Test Strips)	<i>AgaMatrix Products^{PA, QL}</i>	<i>LifeScan Products^{PA, QL}</i>
	<i>Bayer Healthcare Products^{PA, QL}</i>	<i>Roche Diagnostics Products^{PA, QL}</i>
	<i>Home Diagnostics Products^{PA, QL}</i>	

* Note that agents not listed on PDL may be considered non-preferred

Preferred Drugs		Non-Preferred Drugs	
VII. ENDOCRINE AND METABOLIC AGENTS			
<u>Agents for Gout</u>			
allopurinol	probenecid	<i>colchicine capsules (generic Mitigare[®])</i> ^{PA}	<i>Uloric[®]</i> ^{PA}
colchicine tablet ^{PA}	probenecid/colchicine	<i>Colcrys[®]</i> ^{PA}	<i>Zurampic[®]</i> ^{PA, QL}
		<i>Mitigare[®]</i> ^{PA}	<i>Zyloprim[®]</i>
<u>Anabolic Steroids^{PA}</u>			
N/A		<i>Anadrol-50[®]</i> ^{PA}	<i>Oxandrin[®]</i> ^{PA}
		<i>oxandrolone</i> ^{PA}	
<u>Androgens</u>			
AndroGel [®] packets ^{PA}		<i>Androderm[®]</i> ^{PA}	<i>Natesto[®] nasal gel</i> ^{PA}
AndroGel [®] pump ^{PA}		<i>Android[®]</i> ^{PA}	<i>Testred[®]</i> ^{PA}
Danazol		<i>Axiron[®]</i> ^{PA}	<i>testosterone (generic AndroGel[®], Fortesta[®], Testim[®], Vogelxo[®])</i> ^{PA}
Depo-testosterone [®] ^{PA, QL} (200 mg/mL 1 mL vial)		<i>Androxy[®]</i> ^{PA}	<i>testosterone cypionate</i> ^{PA, QL}
		<i>Delatestryl[®]</i> ^{PA, QL}	<i>testosterone enanthate</i> ^{PA, QL}
		<i>Depo-testosterone[®]</i> ^{PA, QL} (excluding 200 mg/mL 1 mL vial)	<i>Striant[®]</i> ^{PA}
		<i>Fortesta[®]</i> ^{PA}	<i>Testim[®]</i> ^{PA}
		<i>Methitest[®]</i> ^{PA}	<i>Vogelxo[®]</i> ^{PA}
		<i>methyltestosterone</i> ^{PA}	
<u>Antidiuretic/Vasopressor Agents</u>			
desmopressin tabs		<i>DDAVP</i>	<i>Stimate[®]</i> ^{PA}
		<i>desmopressin nasal spray</i>	
<u>Bone: Bisphosphonates</u>			
alendronate ^{QL}		<i>Actonel[®]</i> ^{QL}	<i>Fosamax[®]</i> ^{QL}
alendronate solution ^{QL}		<i>Atelvia[®]</i> ^{QL}	<i>Fosamax Plus D[®]</i> ^{QL}
		<i>Binosto[®]</i> ^{QL}	<i>ibandronate</i> ^{QL}
		<i>Boniva[®]</i> ^{QL}	<i>risedronate</i> ^{QL}
		<i>Didronel[®]</i>	<i>Skelid[®]</i> ^{QL}
		<i>etidronate</i>	
<u>Bone: Calcitonin^{PA, QL}</u>			
calcitonin nasal spray ^{PA, QL}		<i>Fortical[®]</i> ^{PA, QL}	<i>Miacalcin[®] nasal spray</i> ^{PA, QL}
		<i>Miacalcin[®] injection</i> ^{PA, QL}	
<u>Bone: SERMs</u>			
raloxifene ^{QL}		<i>Evista[®]</i> ^{QL}	
<u>Bone: Parathyroid Hormone</u>			
N/A		<i>Forteo[®]</i> ^{PA}	<i>Natpara[®]</i> ^{PA}
<u>Contraceptives, Non-Oral</u>			
Depo SubQ Provera [®] ^{QL}	Nuvaring [®] ^{PA}	<i>Depo-Provera[®]</i> ^{QL}	<i>Xulane[®]</i> ^{PA}
medroxyprogesterone acetate inj. ^{QL}		<i>Ortho Evra[®]</i> ^{PA}	

* Note that agents not listed on PDL may be considered non-preferred

Preferred Drugs			Non-Preferred Drugs	
VII. ENDOCRINE AND METABOLIC AGENTS				
<u>Contraceptives, Oral^{QL}</u>				
Altavera ^{QL}	Kelnor 1/35 ^{QL}	Ortho Tri-Cyclen ^{QL}	Ashlyna ^{QL}	Quasense ^{QL}
Alyacen ^{QL}	Kimidess ^{QL}	Ortho Tri-Cyclen Lo ^{QL}	Balziva ^{QL}	Seasonale ^{QL}
Amethia Lo ^{QL}	Kurvelo ^{QL}	Ovcon-50 ^{QL}	Generess FE ^{QL}	Seasonique ^{QL}
Amethyst ^{QL}	Larin 24 ^{QL}	Philith ^{QL}	Jolessa ^{QL}	Tilia FE ^{QL}
Apri ^{QL}	Layolis FE ^{QL}	Plan B ^{QL}	Kariva ^{QL}	Tri-Legest FE ^{QL}
Aranelle ^{QL}	Leena ^{QL}	Plan B ^{QL} One-Step ^{QL}	Lybrel ^{QL}	Zenchant ^{QL}
Aviane ^{QL}	Lessina ^{QL}	Portia ^{QL}	Ogestrel ^{QL}	
Bekyree ^{QL}	levonorgestrel ^{QL}	Previfem ^{QL}		
Beyaz ^{QL}	levonorgestrel/ ethinyl estradiol ^{QL}	Quartette ^{QL}		
Blisovi FE ^{QL}	Levora ^{QL}	Rajani ^{QL}		
Blisovi 24 FE ^{QL}	Lo/Ovral ^{QL}	Reclipsen ^{QL}		
Brevicon ^{QL}	Loestrin ^{QL}	Rivelsa ^{QL}		
Camila ^{QL}	Loestrin 24 FE ^{QL}	Safyral ^{QL}		
Cesia ^{QL}	Lomedia 24 FE ^{QL}	Setlakin ^{QL}		
Cryelle ^{QL}	Lo Loestrin FE ^{QL}	Sharobel ^{QL}		
Cyclessa ^{QL}	Low-Ogestrel ^{QL}	Solia ^{QL}		
Cyred ^{QL}	Lutera ^{QL}	Sprintec ^{QL}		
Deblitane ^{QL}	Lyza ^{QL}	Sronyx ^{QL}		
Desogen ^{QL}	Mibelas FE 24 ^{QL}	Take Action ^{QL}		
drosperinone/ ethinyl estradiol ^{QL}	Microgestin ^{QL}	Tarina-FE ^{QL}		
Econtra ^{QL} EZ ^{QL}	Microgestin FE ^{QL}	Taytulla ^{QL}		
Elinest ^{QL}	Minastrin 24 FE ^{QL}	Tri-Estarylla ^{QL}		
Ella ^{QL}	Mircette ^{QL}	Tri-Lo-Estarylla ^{QL}		
Enpresse ^{QL}	Modicon ^{QL}	Tri-Lo-Marzia ^{QL}		
Errin ^{QL}	Mononessa ^{QL}	Tri-Linyah ^{QL}		
estradiol ^{QL}	Myzilra ^{QL}	Tri-Norinyl ^{QL}		
Estrostep FE ^{QL}	Necon ^{QL}	Tri-Previfem ^{QL}		
ethynodiol/ ethinyl estradiol ^{QL}	Natazia ^{QL}	Tri-Sprintec ^{QL}		
Fayosim ^{QL}	Next Choice ^{QL}	Trinessa ^{QL}		
Femcon FE ^{QL}	Nikki ^{QL}	Trinessa-Lo ^{QL}		
Gildagia ^{QL}	Nor-QD ^{QL}	Trivora ^{QL}		
Gildess ^{QL}	Nora-BE ^{QL}	Velivet ^{QL}		
Gildess 24 FE ^{QL}	Nordette ^{QL}	Vesturna ^{QL}		
Heather ^{QL}	norethindrone/ ethinyl estradiol - FE ^{QL}	Vienva ^{QL}		
Jolivet ^{QL}	Norinyl ^{QL}	Wymza FE ^{QL}		
Juleber ^{QL}	Nortrel ^{QL}	Yasmin ^{QL}		
Junel ^{QL}	Ortho-Cept ^{QL}	YAZ ^{QL}		
Junel FE ^{QL}	Ortho-Cyclen ^{QL}	Zeosa ^{QL}		
Junel FE 24 ^{QL}	Ortho Micronor ^{QL}	Zovia ^{QL}		
Kaitlib-FE ^{QL}	Ortho-Novum ^{QL}			
<u>Diabetes: Alpha-Glucosidase Inhibitors</u>				
acarbose ^{PA}	Glyset ^{PA}		miglitol ^{PA}	Precose ^{PA}

* Note that agents not listed on PDL may be considered non-preferred

Preferred Drugs		Non-Preferred Drugs	
VII. ENDOCRINE AND METABOLIC AGENTS			
Diabetes: Amylin Analogs			
N/A		Symlin ^{® PA}	
Diabetes: Biguanides^{QL}			
metformin ^{QL}		Fortamet ^{® QL}	Glumetza ^{® QL}
metformin ER ^{QL}		Glucophage ^{® QL}	metformin ER osmotic ^{QL}
		Glucophage XR ^{® QL}	Riomet ^{® PA, QL}
Diabetes: DPP-4 Inhibitors and Combinations^{PA, QL}			
Januvia ^{® PA, QL}	Kombiglyze ^{® XR^{PA, QL}}	alogliptin ^{PA, QL}	Kazano ^{® PA, QL}
Janumet ^{® PA, QL}	Onglyza ^{® PA, QL}	alogliptin/metformin ^{PA, QL}	Nesina ^{® PA, QL}
Janumet XR ^{® PA, QL}		alogliptin/pioglitazone ^{PA, QL}	Oseni ^{® PA, QL}
		Jentadueto ^{® PA, QL}	Tradjenta ^{® PA, QL}
		Jentadueto XR ^{® PA, QL}	
GLP-2 Analogs			
N/A		Gattex ^{® PA}	
Diabetes: Incretin Mimetics^{PA, QL}			
Bydureon ^{® Pen & vials^{PA, QL}}	Victoza ^{® PA, QL}	Tanzeum ^{® PA, QL}	
Byetta ^{® PA, QL}		Trulicity ^{® PA, QL}	
Diabetes: Insulins			
Humalog ^{® KwikPen^{® PA}}	Humulin ^{® 70/30^{® vial}}	Afrezza ^{® PA, QL}	Novolog ^{® FlexPen^{® PA}}
Humalog ^{® Mix 50/50^{® KwikPen^{® PA}}}	Humulin ^{® N^{® vial}}	Apidra ^{® Solostar[®]}	Novolog ^{® Mix 70/30^{® FlexPen^{® PA}}}
Humalog ^{® Mix 75/25^{® KwikPen^{® PA}}}	Humulin ^{® R^{® vial}}	Apidra ^{® vial}	Novolog ^{® Mix 70/30^{® vial}}
Humalog ^{® Mix 50/50^{® vial}}	Humulin ^{® R^{® U-500 vial}}	Humalog ^{® U-200 KwikPen^{® PA}}	Novolog ^{® vial}
Humalog ^{® Mix 75/25^{® vial}}	Lantus ^{® Solostar[®]}	Humulin ^{® R^{® U-500 KwikPen^{® PA}}}	Toujeo ^{® Solostar^{® PA}}
Humalog ^{® vial}	Lantus ^{® vial}	Novolin ^{® 70/30[®]}	Tresiba ^{® FlexTouch^{® PA}}
Humulin ^{® 70/30^{® KwikPen^{® PA}}}	Levemir ^{® FlexTouch[®]}	Novolin ^{® N[®]}	
Humulin ^{® N^{® KwikPen^{® PA}}}	Levemir ^{® vial}	Novolin ^{® R[®]}	
Diabetes: Meglitinides and Combination^{QL}			
nateglinide ^{PA, QL}		Prandin ^{® PA, QL}	repaglinide/metformin ^{PA, QL}
repaglinide ^{PA, QL}		Prandimet ^{® PA, QL}	Starlix ^{® PA, QL}
Diabetes: Sulfonylureas and Combination			
glimepiride ^{PA, QL}	glyburide micronized ^{PA}	Amaryl ^{® PA, QL}	Glucovance [®]
glipizide ^{PA}	glyburide/metformin	chlorpropamide ^{PA}	Glynase PresTab ^{® PA}
glipizide ER/XL ^{PA}		Diabeta ^{® PA}	Metaglip [®]
glipizide/metformin		Glucotrol ^{® PA}	tolazamide ^{PA}
glyburide ^{PA}		Glucotrol XL ^{® PA}	tolbutamide ^{PA}
Diabetes: SGLT2 Inhibitors and Combinations^{PA, QL}			
N/A		Farxiga ^{® PA, QL}	Jardiance ^{® PA, QL}
		Glyxambi ^{® PA, QL}	Synjardy ^{® PA, QL}
		Invokamet ^{® PA, QL}	Synjardy XR ^{® PA, QL}
		Invokamet XR ^{® PA, QL}	Xigduo ^{® XR^{PA, QL}}
		Invokana ^{® PA, QL}	
Diabetes: Thiazolidinedione^{PA, QL}			
pioglitazone ^{PA, QL}		Actos ^{® PA, QL}	Avandia ^{® PA, QL}
Diabetes: Thiazolidinedione Combinations^{PA, QL}			
pioglitazone/metformin ^{PA, QL}		ACTOplus Met ^{® PA, QL}	Avandaryl ^{® PA, QL}
		ACTOplus Met XR ^{® PA, QL}	DuetAct ^{® PA, QL}
		Avandamet ^{® PA, QL}	pioglitazone-glimepiride ^{PA, QL}

* Note that agents not listed on PDL may be considered non-preferred

Preferred Drugs		Non-Preferred Drugs	
VII. ENDOCRINE AND METABOLIC AGENTS			
<u>Disease Modifying Anti-Rheumatic Drugs</u>			
hydroxychloroquine	Ridaura [®]	Arava [®]	Otrexup ^{® PA}
leflunomide	sulfasalazine ^{QL}	Azulfidine ^{® QL}	Plaquenil [®]
methotrexate	sulfasalazine EC ^{QL}	Azulfidine EN ^{® QL}	Rasuvo ^{® PA}
		Cuprimine [®]	Rheumatrex [®]
		Depen [®]	Trexall [®]
Note: Injectable agents for the treatment of RA are located under Immunomodulators			
<u>Anti-Rheumatic: Kinase Inhibitors</u>			
N/A		Xeljanz ^{® PA, QL}	Xeljanz ^{® XR PA, QL}
<u>Glucocorticoids, Oral</u>			
budesonide capsules ^{PA}	prednisolone tab	Celestone [®]	Orapred ^{® ODT PA}
cortisone	prednisone	Cortef [®]	Pediapred [®]
dexamethasone		Dexpak [®]	prednisolone ODT ^{PA}
hydrocortisone		Medrol [®]	prednisolone solution (all other strengths)
methylprednisolone		Millipred [®]	Rayos [®]
prednisolone solution (5mg/5mL, 15 mg/5mL)		Orapred [®]	Veripred [®]
<u>Growth Hormone Agents^{PA}</u>			
Genotropin ^{® PA}		Humatrope ^{® PA}	Saizen ^{® PA}
		Norditropin ^{® PA}	Serostim ^{® PA}
		Nutropin ^{® PA}	Tev-Tropin ^{® PA}
		Nutropin AQ ^{® PA}	Zomacton ^{® PA}
		Omnitrope ^{® PA}	Zorbtive ^{® PA}
<u>Hematopoietic Agents^{PA}</u>			
Aranesp ^{® PA}	Procrit ^{® PA}	N/A	
Epogen ^{® PA}			
<u>Hormones: Adrenocorticotropic</u>			
N/A		H.P. Acthar ^{® PA, QL}	
<u>Hormones: Anti-Thyroid</u>			
methimazole	propylthiouracil	Tapazole [®]	
<u>Hormones: LHRH</u>			
leuprolide ^{PA}	Synarel [®]	N/A	
<u>Hormones: Oral Estrogens</u>			
Cenestin [®]	estropipate	EnJuvia [®]	Femtrace [®]
estradiol	Premarin [®]	Estrace [®]	Menest [®]
<u>Hormones: Oral Estrogen/Progestins</u>			
estradiol/norethindrone	Prefest [®]	Activella [®]	
FemHRT [®] Low Dose	PremPhase ^{® QL}	Angeliq [®]	
Mimvey [®]	PremPro ^{® QL}	FemHRT [®] 1/5	
Lopreeza [®]		Jinteli [®]	
<u>Hormones: Oral Progestins</u>			
medroxyprogesterone	progesterone	Aygestin [®]	norethindrone acetate ^{PA}
megestrol acetate 40mg/ml suspension ^{QL}		Megace ^{® QL}	Prometrium [®]
megestrol acetate tabs		Megace ES ^{® PA, QL}	Provera [®]
		megestrol acetate 625mg/5ml suspension ^{QL}	

* Note that agents not listed on PDL may be considered non-preferred

Preferred Drugs	Non-Preferred Drugs
VII. ENDOCRINE AND METABOLIC AGENTS	

Preferred Drugs		Non-Preferred Drugs
Hormones: Thyroid		
Cytomel [®]	Levoxy [®]	Armour Thyroid [®]
Levo-T [®]	liothyronine	Thyroid [®]
Levothroid [®]	Synthroid [®]	Thyrolar [®]
levothyroxine	Unithroid [®]	Tirosint [®]
Hormones: Transdermal Estrogens		
Alora ^{® QL}		Climara ^{® QL} Estrasorb [®]
estradiol transdermal biweekly patch ^{® QL}		Divigel [®] Evamist [®]
		Elestrin [®] Menostar ^{® QL}
		Estraderm ^{® QL} Minivelle ^{® QL}
		estradiol transdermal weekly patch ^{® QL} Vivelle-Dot ^{® QL}
Hormones: Transdermal Estrogen/Progestins^{® QL}		
Combipatch ^{® QL}		Climara Pro ^{® QL}
Hormones: Vaginal Estrogens		
Estring [®]	Vagifem [®]	Estrace [®] Yuvaferm [®]
Premarin Vaginal Cream ^{® QL}		Femring [®]
Insulin-Like Growth Factor-1^{® PA}		
Increlex ^{® PA}		N/A
Mineralocorticoids, Oral		
fludrocortisone		N/A
Progesterone Receptor Antagonists		
N/A		Korlym ^{® PA}
SERM/Estrogen Combinations		
N/A		Duavee ^{® PA}
Somatostatic Agents		
octreotide ^{® PA}		Sandostatin ^{® PA} Somatuline Depot [®]
		Signifor ^{® PA, QL} Somavert [®]

Preferred Drugs	Non-Preferred Drugs
VIII. GASTROINTESTINAL	

Preferred Drugs		Non-Preferred Drugs
5-ASA Derivatives, Oral^{® QL}		
Apriso ^{® QL}	Sulfazine EC ^{® QL}	Asacol HD ^{® QL} Dipentum ^{® QL}
Asacol ^{® QL}	Sulfazine ^{® QL}	Azulfidine ^{® QL} Gazo ^{® QL}
Delzicol ^{® QL}		Azulfidine EN ^{® QL} Lialda ^{® QL}
sulfasalazine ^{® QL}		balsalazide ^{® QL} mesalamine HD ^{® QL}
sulfasalazine EC ^{® QL}		Colazal ^{® QL} Pentasa ^{® QL}
5-ASA Derivatives, Rectal		
Canasa [®]	mesalamine enema	mesalamine kit Rowasa [®]
		Rowasa kit [®]
Agents for Irritable Bowel Syndrome (IBS)^{® PA, QL}		
N/A		alosectron ^{® PA, QL} Lotronex ^{® PA, QL}
		Amitiza ^{® PA, QL} Viberzi ^{® PA, QL}
		Linzezz ^{® PA, QL}
Agents for Opioid-Induced Constipation		
N/A		Movantik ^{® PA, QL}

* Note that agents not listed on PDL may be considered non-preferred

Preferred Drugs		Non-Preferred Drugs	
VIII. GASTROINTESTINAL			
<u>Antidiarrheals</u>			
diphenoxylate with atropine	Lonox [®]	Lomotil [®]	opium tincture
Lofene [®]	loperamide	Motofen [®]	paregoric
		Fulyzaq [®] PA	
<u>Anti-Emetics: A-9-THC Derivatives PA</u>			
N/A		Cesamet [®] PA	Marinol [®] PA
		dronabinol [®] PA	
<u>Anti-Emetics: Anticholinergics</u>			
meclizine	trimethobenzamide	Antivert [®]	Tigan [®]
prochlorperazine	Transderm Scōp [®] PA, QL	Compro [®]	
promethazine [®] PA		Phenergan [®] PA	
<u>Anti-Emetics: 5-HT3 Antagonists PA</u>			
ondansetron tabs and ODT [®] PA, QL		Anzemet [®] PA, QL	Zofran ODT [®] PA, QL
		granisetron [®] PA, QL	Zofran [®] Solution [®] PA
		Kytril [®] PA, QL	Zofran [®] PA, QL
		ondansetron oral soln [®] PA	Zuplenz [®] PA, QL
		Sancuso [®] PA, QL	
<u>Anti-Emetics: NK-1 Antagonists PA</u>			
N/A		aprepitant [®] PA, QL	Emend [®] PA, QL
		Akynzeo [®] PA, QL	Varubi [®] PA, QL
<u>Anti-Emetics: Miscellaneous</u>			
Diclegis [®] PA, QL		N/A	
<u>Antispasmodics/Anticholinergics</u>			
dicyclomine	Symax Fastabs [®]	Anaspaz [®]	methscopolamine
glycopyrrolate	Symax-SL [®]	Bentyl [®]	Pamine [®]
hyoscyamine		Cantil [®]	Pamine Forte [®]
Hyosyne [®]		chlordiazepoxide/clidinium	Robinul [®]
NuLev [®]		Cuvposa [®] PA	Robinul Forte [®]
propantheline		Levsin [®]	Sal-Tropine [®]
		Librax [®]	
<u>Combination Products for H. pylori PA</u>			
Pylera [®] PA, QL		Helidac [®] PA, QL	Omeclamox [®] PA, QL
		lansoprazole/amoxicillin/ clarithromycin [®] PA, QL	Prevpac [®] PA, QL
<u>Gallstone Solubilizing Agents</u>			
ursodiol [®] QL		Actigall [®] QL	Ocaliva [®] PA, QL
		Chenodal [®]	Urso [®] QL
		Cholbam [®] PA	Urso Forte [®] QL
<u>H2 Receptor Antagonists</u>			
cimetidine	ranitidine syrup	Axid [®]	ranitidine capsules
famotidine		nizatidine	Zantac [®]
ranitidine tablets		Pepcid [®]	

* Note that agents not listed on PDL may be considered non-preferred

Preferred Drugs		Non-Preferred Drugs	
VIII. GASTROINTESTINAL			
Laxatives			
Constulose [®]	PEG 3350 powder	CoLyte [®]	PEG 3350 with flavor packs
Enulose [®]	PEG 3350 electrolyte solution	GaviLYTE-H [®] /bisacodyl	PEG 3350 powder pack
generlac		GoLYTELY [®]	PEG 3350 solution
lactulose		HalfLyte [®]	Prepapak [®]
		Kristalose [®]	Suclear [®]
		MoviPrep [®]	Suprep [®]
		NuLYTELY [®]	Trilyte [®]
		OsmoPrep [®]	Visicol [®]
Miscellaneous Agents for Inflammatory Bowel Disease			
N/A		Entocort [®] EC ^{PA}	Uceris [®] PA, QL
Motility Agents			
metoclopramide ^{QL}		metoclopramide ODT ^{PA, QL}	Reglan [®] QL
		Metozolv [®] ODT ^{PA, QL}	
Mucosal Protectants			
misoprostol	sucralfate tablets	Carafate [®]	sucralfate suspension ^{PA}
		Cytotec [®]	
Pancreatic Enzymes			
Creon [®] (all strengths)	ZenPep [®]	Pancrease [®]	Ultresa [®]
		Pertzye [®]	Viokace [®]
Proton Pump Inhibitors			
pantoprazole ^{QL}		Aciphex [®] QL	omeprazole/sodium bicarbonate ^{QL}
Protonix [®] suspension		Aciphex [®] sprinkles ^{PA}	Prevacid [®] QL
omeprazole ^{QL}		Dexilant [®] QL	Prevacid [®] SoluTab [®] PA, QL
		esomeprazole ^{QL}	Prilosec [®] QL
		lansoprazole ^{QL}	Protonix [®] QL
		lansoprazole ODT ^{PA, QL}	rabeprazole ^{QL}
		Nexium [®] QL	Zegerid [®] QL
Saliva Stimulating Agents			
pilocarpine ^{PA, QL}		cevimeline ^{PA, QL}	Salagen [®] PA, QL
		Evoxac [®] PA, QL	

Preferred Drugs		Non-Preferred Drugs	
IX. IMMUNOLOGIC AGENTS			
Anti-inflammatory: PDE-4 Inhibitors			
N/A		Otezla [®] PA, QL	
Immunomodulators^{PA, QL}			
Enbrel [®] PA, QL		Actemra [®] PA, QL	Orencia [®] PA, QL
Humira [®] PA, QL		Cimzia [®] PA, QL	Simponi [®] PA, QL
		Cosentyx [®] Pen ^{PA, QL}	Stelara [®] PA, QL (applies to syringes only)
		Kineret [®] PA, QL	Taltz [®] PA, QL

* Note that agents not listed on PDL may be considered non-preferred

Preferred Drugs		Non-Preferred Drugs	
IX. IMMUNOLOGIC AGENTS			
<u>Immunosuppressants</u>			
azathioprine	Gengraf [®]	Astagraf XL ^{® PA}	mycophenolic acid ^{PA}
Cellcept [®] suspension	mycophenolate mofetil	Azasan ^{® PA}	Neoral ^{® PA}
cyclosporine	tacrolimus	Cellcept [®] (excluding suspension) ^{PA}	Prograf ^{® PA}
cyclosporine microemulsion		Envarsus ^{® XR PA, QL}	Rapamune ^{® PA}
		Hecoria ^{® PA}	Sandimmune ^{® PA}
		Imuran ^{® PA}	sirolimus ^{PA}
		Myfortic ^{® PA}	Zortress ^{® PA}
		mycophenolate mofetil suspension	
<u>Multiple Sclerosis Agents^{QL}</u>			
Avonex ^{® QL}	Copaxone [®] 20 mg/mL ^{QL}	Copaxone [®] 40 mg/mL ^{PA, QL}	Plegridy ^{® PA, QL}
Avonex Administration Pack ^{® QL}	Rebif ^{® QL}	Extavia ^{® QL}	Zinbrya ^{® QL}
Betaseron ^{® QL}		Glatopa ^{® QL}	
<u>Multiple Sclerosis Agents: Potassium Channel Blockers</u>			
Ampyra ^{® QL}		N/A	
<u>Multiple Sclerosis Agents: Oral Disease Modifying Agents</u>			
Gilenya ^{® PA, QL}		Aubagio ^{® PA}	
		Tecfidera ^{® PA, QL}	
<u>Topical Immunomodulators^{PA}</u>			
Elidel ^{® PA}		Protopic ^{® PA}	tacrolimus ointment ^{PA}
Preferred Drugs		Non-Preferred Drugs	
X. MISCELLANEOUS			
<u>Gaucher's Disease Agents</u>			
Zavesca [®]		Cerdelga ^{® QL}	
<u>Hereditary Angioedema (HAE) Agents</u>			
Kalbitor ^{® PA}		Firazyr ^{® PA}	
<u>Hereditary Tyrosinemia Agents</u>			
Orfadin [®]		Orfadin [®] suspension ^{PA}	
<u>Oral Iron Chelators^{PA}</u>			
N/A		Exjade ^{® PA}	Jadenu ^{® PA}
		Ferriprox ^{® PA}	

* Note that agents not listed on PDL may be considered non-preferred

Preferred Drugs			Non-Preferred Drugs	
XI. ONCOLOGY AGENTS				
Afinitor [®]	Iclusig [®]	Soltamox [®]	<i>Afinitor Disperz^{® PA}</i>	<i>Hydrea[®]</i>
Alkeran [®]	Imbruvica [®]	Sprycel [®]	<i>Arimidex[®]</i>	<i>imitanib</i>
Alecensa [®]	Inlyta [®]	Stivarga [®]	<i>Aromasin[®]</i>	<i>Nilandron[®]</i>
anastrozole	Iressa [®]	Sutent [®]	<i>capicitabine</i>	<i>Purinethol[®]</i>
bicalutamide	Jakafi ^{® QL}	Tabloid [®]	<i>Casodex[®]</i>	<i>Purixan^{® PA}</i>
Bosulif [®]	Lenvima [®]	Tafinlar [®]	<i>Femara[®]</i>	<i>Temodar[®]</i>
Cabometyx [®]	letrozole	Tagrisso [®]	<i>Gleostine[®] (excluding 5mg)</i>	
Caprelsa [®]	leucovorin	tamoxifen		
Cometriq [®]	Leukeran [®]	Tarceva [®]		
Cotellic [®]	leuprolide ^{PA}	Targretin [®]		
cyclophosphamide	lomustine	Tasigna [®]		
Droxia [®]	Lonsurf ^{® QL}	temozolamide		
Eligard ^{® PA}	Lynparza ^{® QL}	Thalomid [®]		
Emcyt [®]	Lysodren [®]	tretinoin		
Erivedge [®]	Matulane [®]	Tykerb [®]		
etoposide	Mekinist [®]	Venclexta ^{® QL} (See "Note" below)		
exemestane	mercaptopurine	Votrient [®]		
Fareston [®]	Mesnex [®]	Xalkori [®]		
Farydak [®]	methotrexate	Xeloda [®]		
flutamide	Myleran [®]	Xtandi [®]		
Gilotrif [®]	Nexavar [®]	Zelboraf [®]		
Gleevec [®]	nilutamide	Zolinza [®]		
Gleostine [®] 5mg ^{QL}	Ninlaro [®]	Zydelig [®]		
Hexalen [®]	Odomzo [®]	Zykadia [®]		
Hycamtin [®]	Pomalyst [®]	Zytiga [®]		
hydroxyurea	Revlimid [®]			
Ibrance [®]	Rubraca ^{® QL}			

Effective March 1, 2014, the **initial** fill of oncology products will be limited to a 14 days' supply. If the initial 14 days' supply is tolerated, the member is eligible to receive the remainder of the first months' supply without additional co-pay by the pharmacy submitting a Submission Clarification Code (NCPDP D.O field # 42Ø-DK) of 2. After the initial month, members may continue to receive up to a 31 days' supply of oncology products per fill.

Note: For Ramp-Up Phase Dosing of Venclexta[®], please dispense a 7 day supply of 10 mg tablets (for 20 mg dose), followed by a 7 day supply of 50 mg tablets.

* Note that agents not listed on PDL may be considered non-preferred

Preferred Drugs		Non-Preferred Drugs	
XII. OPHTHALMICS			
Ophthalmic Antibiotic/Steroid Combinations			
neomycin/BAC/poly B/HC	TobraDex [®] suspension	Blephamide [®]	TobraDex [®] ointment
neomycin/poly B/dexameth		Maxitrol [®]	TobraDex [®] ST suspension
sulfacetamide/prednisolone		neomycin/poly B/HC	tobramycin/dexamethasone suspension
Pred-G [®]		Poly-Pred [®]	Zylet [®] PA
Ophthalmic Antibiotics			
AK-Poly-BAC [®]	ofloxacin	AzaSite [®]	Ocuflox [®]
bacitracin/poly B	polymyxin B/TMP	bacitracin	Polysporin [®]
ciprofloxacin	Romycin [®]	Besivance [®]	Polytrim [®]
erythromycin	sulfacetamide sodium drops	Bleph-10 [®]	sulfacetamide ointment
Gentak [®]	tobramycin	Ciloxan [®]	Tobrex [®] solution
gentamicin	Tobrasol [®]	Garamycin [®]	Zymaxid [®]
Moxeza [®]	Tobrex [®] ointment	gatifloxacin 0.5% solution	
neomycin/bac/poly B	Vigamox [®]	levofloxacin 0.5% solution	
neomycin/poly B/gramicidin		Neosporin [®]	
Ophthalmic Antifungals			
N/A		Natacyl [®] PA	
Ophthalmic Antivirals			
trifluridine		Viroptic [®]	Zirgan [®] PA > 5yr old
Ophthalmic Antihistamines QL			
Bepreve [®] QL		azelastine QL	Lastacaft [®] QL
ketotifen QL		Elestat [®] QL	olopatadine QL
Pataday [®] QL		Emadine [®] QL	Optivar [®] QL
Pazeo [®] QL		epinastine QL	Patanol [®] QL
Ophthalmic Alpha-2 Agonists			
apraclonidine	Alphagan P [®]	brimonidine tartrate 0.15%	Iopidine [®]
brimonidine tartrate 0.2%			
Ophthalmic Beta Blockers			
carteolol	timolol maleate	Betagan [®]	OptiPranolol [®]
levobunolol		betaxolol	timolol gel solution
		Betimol [®]	Timoptic [®]
		Betoptic-S [®]	Timoptic OcuDose [®]
		Istalol [®]	Timoptic-XE [®]
		metipranolol	
Ophthalmic Carbonic Anhydrase Inhibitors QL			
Azopt [®] QL	dorzolamide/timolol QL	Cosopt [®] QL	Trusopt [®] QL
dorzolamide QL		Cosopt PF [®] QL	
Ophthalmic Decongestants			
naphazoline	phenylephrine	Neo-Synephrine [®]	
Ophthalmic Mast Cell Stabilizers			
Alocril [®]	cromolyn sodium	Alamast [®]	Alomide [®]
Mydriatics and Mydriatic Combos			
atropine		AK-Pentolate [®]	Isopto [®] Homatropine
Atropine Care [®]		Cyclogyl [®]	Isopto Hyoscine [®]
cyclopentolate		Cyclomydril [®]	Mydracil [®]
tropicamide		Isopto Atropine [®]	Paremyd [®]

* Note that agents not listed on PDL may be considered non-preferred

Preferred Drugs		Non-Preferred Drugs	
XII. OPHTHALMICS			
<u>Ophthalmic NSAIDs^{PA}</u>			
diclofenac ^{PA}		Acular ^{PA}	Ilevro ^{PA}
flurbiprofen ^{PA}		Acular LS ^{PA}	Nevanac ^{PA}
ketorolac ^{PA}		Acuvail ^{PA}	Prolensa ^{PA}
		Bromday ^{PA}	Ocufen ^{PA}
		bromfenac ^{PA}	Voltaren ^{PA}
		Bromsite ^{PA}	
<u>Ophthalmic Prostaglandin Agonists^{QL}</u>			
latanoprost ^{QL}		bimatoprost 0.03% ^{QL}	Travoprost ^{QL}
Lumigan ^{0.01%^{QL}}		Rescula ^{QL}	Xalatan ^{QL}
		Travatan Z ^{QL}	Zioptan ^{QL}
<u>Ophthalmic Steroids</u>			
Alrex [®]	prednisolone acetate	dexamethasone	Lotemax [®] Ointment
Durezol [®]		Flarex [®]	Maxidex [®]
fluorometholone		FML Forte [®]	prednisolone sodium phosphate
FML [®] ointment		FML Liquifilm [®]	Pred Forte [®]
Pred Mild [®]		Lotemax [®] Gel	Vexol [®]
<u>Glaucoma Direct Acting Miotics</u>			
pilocarpine		Isopto [®] Carpine	Pilopine HS [®]
		phospholine iodide	
<u>Glaucoma Combinations</u>			
Combigan ^{® PA}		Simbrinza ^{® PA}	
<u>Ophthalmic Immunomodulators^{PA, QL}</u>			
Restasis ^{® PA, QL}		Restasis ^{® multidose^{PA}}	Xiidra ^{® PA, QL}
<u>Ophthalmic Vasoconstrictors</u>			
AK-Dilate [®] 2.5%, 10%	Neofrin [®] 2.5%, 10%	Albalon [®]	
naphazoline	phenylephrine 2.5%, 10%	Mydrin [®]	
<u>Ophthalmic Lubricants and Artificial Tears</u>			
N/A		Lacrisert ^{® PA}	
<u>Miscellaneous Ophthalmics</u>			
N/A		Cystaran ^{® PA}	

* Note that agents not listed on PDL may be considered non-preferred

Preferred Drugs		Non-Preferred Drugs	
XIII. OTICS			
<u>Otic Quinolones</u>			
CiproDex ^{QL}	ciprofloxacin otic	Cipro HC ^{QL}	ofloxacin otic ^{QL}
Otic Steroid/Antibiotic Combinations			
Cortomycin [®] Otic		Cortisporin [®] Otic	Coly-Mycin [®] S
HC/neomycin/polymyxinB		Cortisporin [®] -TC Otic	Otovel [®]
Miscellaneous Otics			
acetic acid		acetic acid/antipyrine/benzo/ polycosonal	RE Benzotic [®]
acetic acid/aluminum		Acetasol HC [®]	RE Chlorphenylcaine [®]
acetic acid/HC		Aurax	Treagan [®]
chloroxylenol/pramoxine		DermOtic [®]	TriOxin
		fluocinolone acetonide	VoSol [®]
		Neotic [®]	VoSol [®] HC
		Otic Edge [®]	Zinotic [®]
		Pramotic [®]	Zinotic ES [®]
		PR Otic [®]	
Preferred Drugs		Non-Preferred Drugs	
XIV. RENAL AND GENITOURINARY			
<u>Alpha Blockers for BPH</u>			
alfuzosin ^{QL}	tamsulosin ^{QL}	Cardura [®]	Minipress [®]
doxazosin	terazosin	Cardura XL ^{QL}	Rapaflo [®]
prazosin		Flomax ^{QL}	Uroxatral ^{QL}
<u>Androgen Hormone Inhibitors</u>			
finasteride ^{QL}		Avodart ^{QL}	Proscar ^{QL}
		dutasteride ^{QL}	
<u>Combination Agents for BPH</u>			
N/A		dutasteride/tamsulosin ^{PA, QL}	Jalyn ^{PA, QL}
<u>Phosphorus Depleters</u>			
calcium acetate	Phoslyra [®]	Auryxia [®]	Renagel [®]
Eliphos [®]	Renvela [®] tablets ^{QL}	Fosrenol [®]	Renvela [®] powder for suspension ^{PA, QL}
		Fosrenol [®] powder pack ^{PA}	sevelamer ^{QL}
		PhosLo [®]	Velphoro ^{PA}
<u>Urinary Tract Antispasmodics</u>			
oxybutynin	Toviaz ^{QL}	darifenacin ^{QL}	Myrbetriq ^{QL}
	VESIcare ^{QL}	Detrol ^{QL}	oxybutynin ER ^{QL}
		Ditropan XL ^{QL}	Oxytrol ^{QL}
		Detrol LA ^{QL}	tolterodine ^{QL}
		Enablex ^{QL}	tolterodine ER ^{QL}
		flavoxate ^{QL}	trospium ^{QL}
		Gelnique ^{QL}	trospium XR ^{QL}
Urinary Alkalinizing Agents			
citric acid/sodium citrate	potassium citrate/citric acid	Ora-Cit [®]	Urocit-K [®]
potassium citrate		Tricitrates [®]	Virtrate-3 [®]

* Note that agents not listed on PDL may be considered non-preferred

Preferred Drugs		Non-Preferred Drugs	
XIV. RENAL AND GENITOURINARY			
<u>Urinary Acidifying Agents</u>			
acetic acid	K-Phos MF [®]	Renacidin ^{® PA}	
K-Phos Original [®]	K-Phos Neutral [®]		
K-Phos #2 [®]	Phospha Neutral [®]		
<u>Urinary Analgesics</u>			
phenazopyridine		Phenazo [®]	Pyridium [®]
<u>Urinary Interstitial Cystitis Agents</u>			
Elmiron [®]	RIMSO-50 [®]	N/A	
Preferred Drugs		Non-Preferred Drugs	
XV. RESPIRATORY			
<u>Anaphylaxis Therapy Agents</u>			
epinephrine auto injector ^{QL}		Auvi-Q ^{® QL}	Epipen, Jr. ^{® QL}
		Epipen ^{® QL}	
<u>Antiallergens, Oral</u>			
N/A		Grastek ^{® PA, QL}	Ragwitek ^{® PA, QL}
		Oralair ^{® PA, QL}	
<u>Anticholinergics, Inhaled^{QL}</u>			
albuterol/ipratropium ^{QL}	ipratropium solution ^{QL}	Anoro Ellipta ^{® PA, QL}	Spiriva Respimat ^{® QL}
Atrovent ^{® HFA QL}	Spiriva ^{® QL}	Bevespi Aerosphere ^{® PA, QL}	Stiolto Respimat ^{® PA, QL}
Combivent MDI ^{® QL}		Incruse Ellipta ^{® QL}	Tudorza ^{® QL}
Combivent Respimat ^{® QL}		Seebri Neohaler ^{® PA, QL}	Utibron Neohaler ^{® PA, QL}
<u>Anticholinergics, Nasal^{QL}</u>			
ipratropium 0.3%, 0.6% ^{QL}		Atrovent 0.3%, 0.6% ^{® QL}	
<u>Antihistamines, First Generation (Covered for recipients < 21 years old only)</u>			
Bromspiro [®]	hydroxyzine	all formulations of brompheniramine tannate	
carbinoxamine maleate	LoHist-12 [®]	all formulations of chlorpheniramine tannate	
chlorpheniramine maleate	promethazine	all formulations of diphenhydramine tannate	
clemastine		Aldex AN [®]	J-Tan PD
cyproheptadine hydrochloride		dexchlorpheniramine	Palgic [®]
diphenhydramine HCl		Doxytex [®]	Vazol [®]
Dytuss [®] syrup		Karbinal ^{® ER}	Vistaril [®]
<u>Antihistamines, Non-Sedating (Covered for recipients < 21 years old only)</u>			
cetirizine chewable ^{PA, QL}		Allegra ^{® QL}	cetirizine 5mg/5ml solution
cetirizine 1mg/1ml solution		Allegra-D 12 Hr ^{® QL}	desloratadine ^{QL}
cetirizine syrup		Allegra-D 24 Hr ^{® QL}	desloratadine ODT ^{PA, QL}
cetirizine tabs ^{QL}		Allegra ODT ^{® PA, QL}	fexofenadine ^{QL}
cetirizine/PSE ^{QL}		Claritin ^{® QL}	fexofenadine/PSE ^{QL}
loratadine ^{QL}		Claritin ^{® chewable PA, QL}	levocetirizine ^{QL}
loratadine RDT ^{PA, QL}		Claritin-D 12 Hr ^{® QL}	Semprex ^{® -D QL}
loratadine/PSE ^{QL}		Claritin-D 24 Hr ^{® QL}	Xyza ^{® QL}
		Claritin RediTabs ^{® PA, QL}	Zyrtec ^{® QL}
		Clarinet ^{® QL}	Zyrtec ^{® chewable PA, QL}
		Clarinet RediTabs ^{® PA, QL}	Zyrtec ^{® ODT PA, QL}
		Clarinet-D 12 Hr ^{® QL}	Zyrtec-D ^{® QL}
		Clarinet-D 24 Hr ^{® QL}	

* Note that agents not listed on PDL may be considered non-preferred

Preferred Drugs		Non-Preferred Drugs	
XV. RESPIRATORY			
<u>Antihistamines, Nasal^{QL}</u>			
Patanase ^{® QL}		Astepro ^{® PA, QL}	Dymista ^{® PA, QL}
		azelastine ^{PA, QL}	olopatadine ^{QL}
<u>Beta Agonists: Combination Products^{PA, QL}</u>			
Advair Diskus ^{® PA, QL}	Dulera ^{® PA, QL}	Breo Ellipta ^{® PA, QL}	
Advair HFA ^{® PA, QL}	Symbicort ^{® PA, QL}		
<u>Beta Agonists: Long Acting MDI^{PA, QL}</u>			
Serevent Diskus ^{® PA, QL}		Arcapta ^{® QL}	Striverdi ^{® Respimat^{QL}}
<u>Beta Agonists: Nebulizer</u>			
albuterol inhalation solution ^{QL}		AccuNeb ^{® QL}	Perforomist ^{® PA, QL}
		Brovana ^{® PA, QL}	Xopenex ^{® PA, QL}
		levalbuterol ^{PA, QL}	
<u>Beta Agonists: Short Acting MDI^{QL}</u>			
Proventil ^{® HFA^{QL}}		levalbuterol HFA ^{PA, QL}	ProAir Respiclick ^{® PA, QL}
		Maxair Autohaler ^{® QL}	Ventolin ^{® HFA^{PA, QL}}
		ProAir ^{® HFA^{PA, QL}}	Xopenex ^{® HFA^{PA, QL}}
<u>Beta Agonist: Oral</u>			
albuterol syrup	terbutaline	albuterol tabs	VoSpire ER [®]
albuterol ER		metaproterenol	
<u>Cystic Fibrosis Agents</u>			
Bethkis ^{® PA, QL}	Pulmozyme ^{® PA, QL}	Cayston ^{® PA, QL}	tobramycin nebulizer ^{PA}
Kitabis ^{® PA}	tobramycin vial	TOBI ^{® Podhaler[®] and inhalation solution^{PA, QL}}	tobramycin solution 300mg/5mL ^{PA, QL}
<u>Cystic Fibrosis Agents: CFTR Potentiators</u>			
N/A		Kalydeco ^{® PA, QL}	Orkambi ^{® PA, QL}
<u>Expectorants</u>			
SSKI		N/A	
<u>Leukotriene Receptor Antagonists^{QL}</u>			
montelukast tabs and chewables ^{QL}		Accolate ^{® QL}	zafirlukast ^{QL}
		montelukast granules ^{PA, QL}	zileuton CR ^{QL}
		Singulair ^{® tabs and chewables^{PA, QL}}	Zyflo ^{® QL}
		Singulair ^{® granules^{PA, QL}}	Zyflo CR ^{® QL}
<u>Mast Cell Stabilizers</u>			
cromolyn ^{QL}		N/A	
<u>Mucolytics</u>			
acetylcysteine		Cetylev [®]	
<u>Non-Narcotic Antitussives^{PA}</u>			
benzonatate ^{PA}		Tessalon ^{® PA}	Zonatuss ^{® PA}
		Tessalon Perles ^{® PA}	
<u>Steroids, Orally Inhaled^{QL}</u>			
Asmanex Twisthaler ^{® QL}		Aerospan ^{® QL}	budesonide respules ^{QL}
Flovent HFA ^{® QL}		Alvesco ^{® QL}	Pulmicort Flexhaler ^{® QL}
QVAR ^{® QL}		Arnuity Ellipta ^{® QL}	Pulmicort Respules ^{® PA, QL}
		Asmanex HFA ^{® QL}	Flovent Diskus ^{® QL}

* Note that agents not listed on PDL may be considered non-preferred

Preferred Drugs		Non-Preferred Drugs	
XV. RESPIRATORY			
<u>Steroids, Intranasal^{QL}</u>			
budesonide nasal (see covered OTC list for NDCs) ^{QL}		Beconase AQ ^{QL}	Omnaris ^{QL}
fluticasone propionate ^{QL}		budesonide nasal (Rx only) ^{QL}	Qnasi ^{QL}
Nasacort [®] OTC (see covered OTC list for NDCs)		Flonase [®] ^{QL}	Rhinocort Aqua [®] ^{QL}
		flunisolide ^{QL}	triamcinolone acetonide ^{QL}
		mometasone furoate ^{QL}	Veramyst [®] ^{QL}
		Nasacort [®] AQ ^{QL}	Zetonna [®] ^{QL}
		Nasonex [®] ^{QL}	
Xanthine Derivatives			
aminophylline	Elixophyllin [®]	N/A	
	Theo-24 [®]		
<u>Phosphodiesterase 4 Inhibitor</u>			
N/A		Daliresp [®] ^{PA}	
Vasoconstrictors, Intranasal			
Adrenalin [®]	Tyzine [®]	N/A	

Preferred Drugs		Non-Preferred Drugs	
XVI. SMOKING CESSATION AGENTS			
<u>Smoking Cessation Agents^{QL} (see OTC list for covered OTC NDCs)</u>			
bupropion SR ^{QL}	nicotine polacrilex lozenge ^{QL}	Commit [®] ^{QL}	Nicotrol [®] inhaler ^{QL}
Chantix [®] ^{QL}	nicotine transdermal patch ^{QL}	Nicoderm [®] CQ ^{QL}	Nicotrol [®] nasal spray ^{QL}
nicotine polacrilex gum ^{QL}		Nicorette [®] gum ^{QL}	Zyban [®] ^{QL}

Preferred Drugs		Non-Preferred Drugs	
XVII. VITAMINS AND ELECTROLYTES			
<u>Cystine Depleting Agent</u>			
Cystagon [®]		Procysbi [®] ^{PA}	
Fluoride Products			
Denta 5000 [®]	Phos-flur [®] (Rx only)	Fluor-a-day [®] Chewable	Luride [®]
Dentagel [®]	Renaf [®]		
Epiflur [®]	SF		
Fluor-a-day [®] drops	SF 5000 Plus		
Fluoritab [®]	sodium fluoride		
Ludent [®]			
<u>Folic Acid Preparations</u>			
folic acid		Deplin [®] ^{PA}	l-methylfolate ^{PA}
		Falessa [®] ^{PA}	Q-Tabs [®] ^{PA}
Kidney Stone Agents			
Lithostat [®]	Thiola [®]	N/A	

* Note that agents not listed on PDL may be considered non-preferred

Preferred Drugs		Non-Preferred Drugs	
XVII. VITAMINS AND ELECTROLYTES			
Multivitamins with Fluoride (Covered for recipients < 21 years old only)			
All generic prescription products (various manufacturers)		All brand prescription products (various manufacturers)	
Select OTC products (see OTC list for NDCs)			
Multivitamins with Iron (Covered for recipients < 21 years old only)			
Generic prescription products		All brand prescription products	
Select OTC products (see OTC list for NDCs)			
Potassium Depletors			
Kalexate	sodium polystyrene sulfonate	Kayexalate [®]	Veltassa ^{® QL}
Kionex [®]		SPS [®]	
Potassium Supplements			
Effer-K [®]	K-Effervescent [®]	Epiklor [®]	Micro K [®]
Kaon-CL [®]	K-Vescent [®]	K-tabs [®]	potassium chloride caps
Klor-Con [®]	potassium bicarbonate	Klor-Con [®] powder	
Klor-Con/EF [®]	potassium chloride tabs and solution		
Klor-Con M [®]	potassium chloride, microencapsulated		
Prenatal Vitamins			
generic prescription products (various manufacturers)		All brand prescription products (various manufacturers)	
Select OTC products (see OTC list for NDCs)			
Renal Vitamins			
generic prescription products (various manufacturers)		All brand prescription products (various manufacturers)	
Select OTC products (see OTC list for NDCs)			
Vitamin D/Vitamin D Analogs			
calcitriol	Vitamin D	doxercalciferol capsules ^{PA}	paricalcitol capsules ^{PA}
		Drisdol [®]	Rocaltrol [®]
		Hectorol [®] capsules ^{PA}	Zemplar [®] capsules ^{PA}
Vitamin K Products			
Mephyton ^{® QL}		N/A	
Zinc Supplements			
zinc sulfate	Zincate [®]	Galzin ^{® PA}	

* Note that agents not listed on PDL may be considered non-preferred